

We have hundreds of fashionable bath



Frameless

- 4 Studio IV
- 6 Metro Deluxe
- 8 Metro Classic
- 10 Metro Oval
- 11 Metro Arch/Octagon
- 12 Metro Oversize
- 14 Torino Arch
- 14 Cameo Oval Bevel
- 15 Simplicity (oversized)
- 16 Mirage
- 17 Sonata
- 17 Mirror-On-Mirror
- 18 Cove
- 19 Styleline II*
- 19 Lafayette*
- 20 Focus
- 20 Quantum®
- 21 Horizon
- 21 Nova



Framed

- 22 Hampton
- 24 Baker Street
- 26 Soho
- 26 Mission
- 27 Monaco (oversized)
- 27 Harmony (oversized)
- 28 Dunhill
- 29 Grant
- 29 Prairie
- 29 Canterbury
- 29 Chapel Hill
- 30 Oakdale
- 30 Oakhill*
- 31 Vienna
- 31 Grand Maple / Grand Oak



Specialty

- 2 Security Cabinet
- 33 Lockbox Cabinet
- 33 Hideaway
- 34 Illusion
- 34 Low Profile
- 35 Corner Cabinet
- 35 Avanti Corner Cabinet
- 36 Flush Mount Cabinet
- 36 Modular Shelf
- 36 Pan Door
- 37 Perfect Square
- 37 Pillar
- 37 Topsider
- 38 Stainless Steel Body
- 38 Solid Stainless Steel
- 38 Bel Aire Auxiliary
- 39 Cabinet 455FL
- 39 Cabinet 555IL®
- 39 Government Spec Cabinet
- 40 Commodore
- 41 Oak Hollywood (sliding doors)
- 41 Flair (sliding doors).
- 42 Ensign (sliding doors)
- 42 Beauty Glide (sliding doors)
- 43 Contempora
- 43 Theft Proof Mirror



Basic

- 4 Styleline
- 46 The Prestique Series
- 47 Wood Frame, Tri-View*
- 48 Wood Frame, Single*
- 48 Wood Framed
- 49 Louver Door

These cabinets include built-in lighting

Oversized cabinets feature a larger mirror and greater storage space



Studio IV

Now it's easy to add the perfect complement to any bath or powder room. The classic, neutral designs of Studio IV enable endless possibilities, whether your decor is classic or contemporary.


Stainless steel or white painted cabinet bodies, glass shelves and 170° soft-close Euro-style hinges withstand the rigors of everyday use. Light gathering mirrors on the inside door and cabinet back double the functionality when open. Let Studio IV Series bath cabinets take your style in any direction you can imagine.



Shown: Studio IV S468244WH



Studio IV



Model Number	Mirror Front	Frame Type	Door Type	Cabinet Depth	Mirror Shape	0 v	erall : h	Size d	Wall w	Oper h	ning d
Studio IV Rece	ssed and	Surface Mo	unt*								
S468244SS	Bevel	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
S468244WH	Bevel	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
S468344SS	Bevel	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
S468344WH	Bevel	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4

All measurements are in inches.

Surface Mount Side Mirror Kits

760024 (for models 24" in height) 760034 (for models 34" in height)

Gangable Attachment Kit (for joining 2 or more cabinets in a row - see below)

76GK† (for both 24" and 34" models)

†To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." When ganging cabinets that will be surface mounted, 1 Surface Mount Side Mirror Kit is needed for each cabinet. See Example 2. Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits.


Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus 4 Surface Mount Side Mirror Kits.



Shown: Studio IV S468344SS

^{*}Surface mounting requires a Surface Mount Side Mirror Kit.

Metro Deluxe



Model Number	Mirror Front	Frame Type	Door Type	Depth Depth	Mirror Shape	W	erall i	Size d	Wall w	Oper h	iing d
Metro Deluxe R	ecessed a	and Surface	Mount*								
52WH244DP	Bevel	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344DP	Bevel	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
52WH244DPF	Polished	Frameless	Single	4	Rectangle	15	25	5	141/4	24	4
52WH344DPF	Polished	Frameless	Single	4	Rectangle	15	35	5	141/4	34	4
52WH246DP	Bevel	Frameless	Single	6	Rectangle	15	25	7	141/4	24	6
52WH346DP	Bevel	Frameless	Single	6	Rectangle	15	35	7	141/4	34	6
52WH246DPF	Polished	Frameless	Single	6	Rectangle	15	25	7	141/4	24	6
52WH346DPF	Polished	Frameless	Single	6	Rectangle	15	35	7	141/4	34	6

All measurements are in inches.

Surface Mount Side Mirror Kits (for 4" cabinet depths only)

760024 (for models 24" in height)

760034 (for models 34" in height)

Gangable Attachment Kit (for joining 2 or more cabinets in a row - see below)

76GK† (for both 24" and 34" models)

Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus 4 Surface Mount Side Mirror Kits.



Gangable Attachment Kit(s) must be used when two or more cabinets are mounted side-by-side to ensure proper attachment and spacing. Cabinets can be "ganged" together in either recessed or surfacemount styles. Shown above, three Metro Deluxe (52WH244DP) cabinets joined by two Gangable Attachment Kits (76GK).

^{*}Only models with a 4" depth can be surface mounted and require a Surface Mount Side Mirror Kit.

[†]To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." When ganging cabinets that will be surface mounted, 1 Surface Mount Side Mirror Kit is needed for each cabinet. See Example 2. Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits.


Metro Classic

Like its Deluxe sibling, Metro Classic provides flexible design solutions, outstanding features, and a transitional look that fits any décor.



- A Metro Classic 52WH244PF (25" tall, 4" deep with polished mirror and side mirror kit 760024)
- **B** Metro Classic 52WH344P (35" tall, 4" deep with beveled mirror)

Metro Classic



d v	/ ŀ	n d
5 14	1/4 2	4 4
5 14	1/4 3	4 4
5 14	1/4 2	4 4
5 14	1/4 3	4 4
	5 14 5 14	5 14½ 3 5 14½ 2

All measurements are in inches.

Surface Mount Side Mirror Kits (for 4" cabinet depths only)

760024 (for models 24" in height)

760034 (for models 34" in height)

Gangable Attachment Kit (for joining 2 or more cabinets in a row - see below)

76GK† (for both 24" and 34" models)

Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus 4 Surface Mount Side Mirror Kits.

Gangable Attachment Kit(s) must be used when two or more cabinets are mounted side-by-side to ensure proper attachment and spacing. Cabinets can be "ganged" together in either recessed or surface-mount styles. Shown below, two Metro Classic (52WH244P) cabinets joined by one Gangable Attachment Kit (76GK).



^{*}Only models with a 4" depth can be surface mounted and require a Surface Mount Side Mirror Kit.

 $[\]dagger$ To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged." When ganging cabinets that will be surface mounted, 1 Surface Mount Side Mirror Kit is needed for each cabinet. See Example 2. Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits.

Metro Shapes

Tired of typical "square mirrors" on bath cabinets? Well, so were we.

That's what inspired Metro Shapes bath cabinets in dramatic Ovals,

Arch and Octagon configurations.

With beveled front mirrors, Metro

Shapes are beautifully functional, high quality cabinets. They're perfect over pedestal lavs in powder rooms, or in contemporary bathrooms where they make a statement about the room as well as the owner.







Shown: Metro Oval 52WH184PV



Metro Octagon



Metro Arch




- Exterior beveled mirrors ensure a deep, distortion-free, rich reflection.
- · Interior mirrors on the back of the cabinet add light and functionality.
- · Adjustable glass shelves provide light reflection, strength and easy cleaning.
- Metro Arch and Metro Octagon feature three shelves; Metro Oval models features two or three shelves. See the models in the chart below for details. • Metro Oval and Octagon may be installed
- Snap-fit shelf supports ensure stability, but can be easily removed for cleaning.
- 14-1/4" wide wall openings allow for easy retrofit installations or between studs for new construction.
- Fabricated steel construction features a durable rust-resistant finish.
 - Corner bumpers cushion the door for a soft, quiet close.
 - for left- or right-hand door opening.

- Metro Arch is right-hinged only.
- Metro Octagon and Metro Arch models feature a 125 degree concealed hinge for wide door opening and smooth operation.
- Metro Oval models feature a piano hinge that opens 125 degrees on the \$3682440VWH, or 90 degrees on the 52WH184PV.



Note: The Metro Arch is hinged on the right side only.

125°



^{*} Surface mount installations require a Surface Mount Side Mirror Kit, Model Number 760024 (see page 7). Note: All measurements are in inches.

Metro Oversize

Looking for more storage in your bathroom, but don't have much room? Do you prefer a single elegant mirror, rather than a bath cabinet with two or three doors? If so, our Metro Oversize Series provides a tremendous amount of storage space in a simple and clean presentation. Our polished and beveled exterior mirror options will complement any décor.



Shown: Metro Oversize Classic 52WH304PF (30" tall, 24" wide, polished mirror, recessed)







Metro Oversize



Model	Mirror	Frame	Door	Cabinet	Mirror	O ve	rall	Size	Wall	0pen	ing	Adj.
Number	Front	Type	Type	Depth	Shape	W	h	d	W	h	d	Shelves
Metro Oversizo	e Deluxe	24 x 30 Overs	size Rece	essed or S	urface Moun	t*						
52WH304DP	Bevel	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	4
52WH304DPF	Polished	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	4
•												
Metro Oversizo	e D eluxe	20 x 25 Overs	size Rece	essed or S	urface Moun	t*						
52WH254DP	Bevel	Frameless	Single	4	Rectangle	20	25	5	191/4	24	4	3
52WH254DPF	Polished	Frameless	Single	4	Rectangle	20	25	5	19¾	24	4	3
Metro Oversizo	e Classic	24 x 30 Over	size Rec	essed or S	urface Moun	ıt*						
52WH304P	Bevel	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	3
52WH304PF	Polished	Frameless	Single	4	Rectangle	24	30	5	231/4	29	4	3
*Surface mount i	nstallations	require a Surfa	ace Mount	Side Mirror	Kit. See below.							

Surface Mount Side Mirror Kit

760025 (for Metro Oversize models 25" in height) 760030 (for Metro Oversize models 30" in height)

Note: All measurements are in inches.

Gangable Attachment Kit

76GK†

†To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be ganged. When ganging and surface mounting cabinets, 1 Surface Mount Side Mirror Kit is required for each cabinet.

Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2
Gangable Attachment Kits.

Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus 4 Surface Mount Side Mirror Kits.



Torino Arch



The Torino features a beveled edge and frosted cut-glass arched design that's ideal over "his-and-hers" vanities or dual pedestal lavatories. Optional side light fixtures match the look with beveled-edge mirror backplates and a frosted glass shade.

Cameo Oval Bevel



The Cameo Oval brings a touch of elegance to any room. Its frameless, 1" beveled-edge premium float glass mirror is supported by heavy-gauge steel construction. Adjustable shelves and a convenient reversible door are included in this perfect complement for powder rooms and pedestal lavatories.



Shown: 73591 side light kit

Model	Frame	Door	Mirror		erall Si	ze .		I Open	ing .		de Lig	ht Kit	
Number	Туре	Type	Shape	W	n	d	W	n	d	Model #	W	n	d
Torino Arc	h Recessed M	ount											
5528	Frameless	Single	Arch	16½	341/4	41//8	14	24	3½	73591*	6½	13¾	5¾
Cameo Ov	al Bevel Reces	sed Moun	t										
1350	Frameless	Single	Oval	21	31	41/2	14	18	31/2				
1358	Frameless	Single	Oval	24	36	41/2	14	24	31/2				

^{*} Side lights packed in pairs.

Simplicity




At times a name says everything. Simplicity unites a frameless beveled-edge mirror and a large viewing area. This oversized cabinet provides more storage room when space is at a premium.

Oversized 24" wide

Model	Frame	Door	Mirror	Ove	erall S	ize	Wall Opening
Number	Туре	Type	Shape	W	h	d	w h d
Simplicity	Recessed Mour	ıt, oversi	ized				
530924	Frameless	Single	Rectangle	24	30	4%	21½ 27½ 3½

^{*} Side lights packed in pairs.

Mirage







Shown: 73190 side light kit

Like a multi-faceted gemstone, the octagonal Mirage mirror is framed in a 1/2" beveled edge. Optional sidelights with clear glass shades feature the same beveled-edge mirror treatment on rectangular backplates.

Model Number	Frame Type	Door Type	Mirror Shape	Overall Size w h d	Wall O pening w h d	Side Light Kit Model # w h d	
Mirage Rec	essed Mount						
1454	Frameless	Single	Octagon	18 27 4½	14 18 3½	73190* 5 12 6½	
1456	Frameless	Single	Octagon	17% 32 4½	14 24 3½		

Note: All measurements are in inches.

* Side lights packed in pairs.

Sonata



Sonata's graceful top and bottom curves combined with a 1/2" beveled-edge mirror create an elegant focal point. Matching optional side light fixtures feature a beveled-edge mirror backplate and distinctive frosted shades with chrome-plated fittings.

Mirror-On-Mirror



Contemporary Mirror-On-Mirror designs create a classic, upscale look. Both models feature a clear center mirror with a 1/2" beveled-edge grey background mirror for an all-glass, picture frame effect.

Shown: 73190 side light kit





Shown: Mirror-On-Mirror 1452 with optional 73290 top light kit

Model Number	Frame Type	Door Type	Mirror Shape	Ove w	erall S h	Size d	Wall w	Ope h	ning d	Top Model #		t Kit h	d	Side Model #		jht Kit h	d
Sonata R	ecessed Mo	unt															
258	Frameless	Single	Arch	16	32	41/2	14	24	31/2					72052*	5	17½	61/8
Mirror-O	n-Mirror Re	cessed	Mount														
1450BC	Frameless	Single	Rectangle	16	26	5	14	18	3½	73290	16	4½	2	73190*	5	12	6½
1452	Frameless	Single	Oval	16	26	5	14	18	31/2	73290	16	41/2	2	73190*	5	12	61/2

Note: All measurements are in inches.
* Side lights packed in pairs.

Cove








The Cove series lets you choose from fabricated body and single-piece drawn body style options. All models feature an innovative rubberized magnet closure. If you prefer a clean, polished front mirror edge, choose models beginning with "1035." Models beginning with "1068" feature a classic beveled mirror. If you prefer the interior brightness that glass shelves provide, select a model that ends in the letter "G."

Model	Mirror	Frame	Door	Mirror	0v	erall S	ize	Wal	I Opei	ning
Number	Front	Туре	Type	Shape	W	h	d	W	h	ď
Cove Recessed M	ount									
1068P24WH	Bevel	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
1068P24WHG	Bevel	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
1068P34WH	Bevel	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2
1068P34WHG	Bevel	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2
1035P24WH	Polished	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
1035P24WHG	Polished	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
1035P34WH	Polished	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2
1035P34WHG	Polished	Frameless	Single	Rectangle	16	36	41/2	14	34	$3\frac{1}{2}$

Styleline II



The Styleline II features chrome-plated steel trim on the top and bottom, with polished vertical edges. A built-in top light includes a chrome-plated steel faceplate.

Lafayette



The Lafayette offers a choice of beveled-edge mirror designs to suit your decorating preferences. Both square and radius corner styles feature built-in top lights.

Model	Frame	Door	Mirror	0v	erall Si	ze
Number	Type	Type	Shape	W	h	d
Styleline I	I Surface Mo	unt with Bu	uilt-In Top Light			
565 "	Chrome*	Single	Rectangle	18	28	43/4
Lafayette	Surface Mou	nt with Bui	lt-In Top Light			
1402	Frameless	Single	Rectangle, round corner	18%	32%	4¾
1462	Frameless	Single	Rectangle, square corner	18%	28%	4¾



Shown: Lafayette 1462 with square corners

^{*} Chrome-plated steel trim.

Cabinet depth does NOT include light bulbs or the socket.

Focus



Simple, clean polished-edge design enables this tri-view mirror with built-in top lights to complement a wide range of decorating styles.

Quantum



Beveled-edge elegance with a rounded corner design makes the Quantum tri-view ideal for use with any decorative motif.

Model Number	Frame Type	Door Type	Mirror Shape	Ove w	erall S h	ize d	Wal w	l Opei h	ning d
Focus Recessed	l Mount								
1430	Frameless	Single	Rectangle	16	22	43/4	14	18	3½
1433*	Frameless	Single	Rectangle	16¾	203/16	_	14	18	2½
1438	Frameless	Single	Rectangle	16	26	41/2	14	24	3½
B7733*	Frameless	Single	Rectangle	16	26	35/8	14	24	31/2
B7233*	Frameless	Single	Rectangle	16	22	4	13½	17½	3
835P24WHD	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
835P24WHG	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2
835P34WHD	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2
835P34WHG	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2
Focus Surface	Mount with	Built-In To	op Lights						
295224	Frameless	Tri-View	Rectangle	24	30	51/4			
295230 "	Frameless	Tri-View	Rectangle	30	34	51/4			
Quantum Surfa	ce Mount w	ith Built-I	n Top Ligh	ts					
455230 "	Frameless	Tri-View	Rectangle	30	$36\frac{1}{2}$	51/4			
455236 "	Frameless	Tri-View	Rectangle	36	36½	5½			
455248 "	Frameless	Tri-View	Rectangle	48	36½	5½			
B885393*	Frameless	Tri-View	Rectangle	24	33	41/2			

Note: All measurements are in inches. • Cabinet depth does NOT include light bulbs or the socket.

* Molded body.

Horizon



Horizon features the quiet elegance of beveled-edge design. A wide selection of tri-view and single-door models with optional matching light bars make this classic model a good fit for any size room or décor.



Nova puts an oversized center cabinet in place to hold items everyone uses. And on either side, "his and hers" cabinets let you organize personal items. Integral lighting illuminates the entire room.

Model	Frame	Door	Mirror	Ove	erall Si	ize	Wal	l Ope	ning	1	Top	Light	Kit		Side	Ligh	t Kit
Number	Type	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d	Model #	W	h	d
Horizon Surfac	e Mount																
255224	Frameless	Tri-View	Rectangle	24	24	51/4				H032490	24	41/2	5%				
255230	Frameless	Tri-View	Rectangle	36	281/4	51/4				H033090	36	41/2	5%				
255236	Frameless	Tri-View	Rectangle	36	281/4	51/4				H033690*	36	41/2	5%				
255248	Frameless	Tri-View	Rectangle	48	281/4	51/4				H034890	48	4½	51/8				
Horizon Recess	ed																
1451	Frameless	Single	Rectangle	16	26	43/4	14	18	31/2	73290**	16	41/2	2	73190†	5	12	6½
1453*	Frameless	Single	Rectangle	16¾6	203/16	3¾	14	18	21/2	73290**	16	41/2	2	73190†	5	12	6½
1453ADJ*	Frameless	Single	Rectangle	16¾6	20¾6	3¾	14	18	21/2	73290**	16	41/2	2	73190†	5	12	6½
1459	Frameless	Single	Rectangle	16	26	43/4	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
145999-922	Frameless	Single	Rectangle	16	26	43/4	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
1459M0D	Frameless	Single	Rectangle	16	26	43/4	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
610BC*	Frameless	Single	Rectangle	161/4	221/4	3¾	14	18	21/2	73290**	16	41/2	2	73190†	5	12	6½
255024	Frameless	Tri-View	Rectangle	24	24	5	21¾	20%	31/2	H042490	24	41/2	21/4				
255030	Frameless	Tri-View	Rectangle	30	281/4	5	27¾	24¾	31/2	H043090	30	41/2	21/4				
255036	Frameless	Tri-View	Rectangle	36	281/4	5	33¾	24¾	31/2	H043690	36	41/2	21/4				
255048	Frameless	Tri-View	Rectangle	48	281/4	5	45¾	24¾	31/2	H044890	48	41/2	21/4				
B7233B85PC	Frameless	Single	Rectangle	16	22	_	14	18	31/2	73290**	16	41/2	2				
B773385*	Frameless	Single	Rectangle	16	26	35/8	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
868M24WH	Frameless	Single	Rectangle	16	26	41/2	14	24	3	73290**	16	41/2	2	73190†	5	12	6½
868P18SS	Frameless	Single	Rectangle	16	20	41/2	14	18	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P18WH	Frameless	Single	Rectangle	16	20	41/2	14	18	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P24CH	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P34CH	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P34WH	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P34WHG	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P34WHD	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2	73290**	16	41/2	2	73190†	5	12	6½
868P34WHLB	Frameless	Single	Rectangle	16	36	41/2	14	34	31/2	73290**	16	41/2	2	73190†	5	12	6½
835P34WH	Frameless	Single	Rectangle	16	26	41/2	14	24	31/2	73290**	16	41/2	2	73190†	5	12	6½
M723385	Frameless	Single	Rectangle	16¾	6 22	4	13¾	17¾	3¾	73290**	16	4½	2				
Nova Surface N	lount																
B88519385	Frameless	Tri-View	Rectangle	36	31%	4					Bu	ilt-in					
B88529385*	Frameless	Tri-View	Rectangle	48	31%	4					Bu	ilt-in					
B88539385	Frameless	Tri-View	Rectangle	24	311//	4						ilt-in					

Nova

Hampton Series

Metal finish frames add a unique accent to bath fixtures and hardware. With a recessed design and a reversible cabinet for left- or right-door opening, they also provide a beautiful way to add storage. Hampton Series cabinets, crafted from a single piece of white-finished steel, feature rounded corners for easy cleaning and a soft, magnetic door closure system. Adjustable glass shelves enhance visibility. With the Hampton Series, achieve the perfect look, without compromise.

Shown: Hampton Series model 625N244BZC with contemporary Oil-rubbed Bronze frame.


Shown: Satin Nickel 625N244SNC

Hampton Series



Model Number	Mirror Front	Frame Finish	Door Type	Mirror Shape	Ove w	rall Si	ze d	Wall w	Ope h	ening d
Hampton Reces	sed									
625N244SNC	Polished	Satin Nickel	Single	Rectangle	15¾	25½	33/4	14	24	3½
625N244BZC	Polished	Oil-rubbed Bronze	Single	Rectangle	15¾	25½	33/4	14	24	3½
625N244C0C	Polished	Copper	Single	Rectangle	15¾	25½	33/4	14	24	31/2
625N244WHC	Polished	White	Single	Rectangle	153/4	25½	33/4	14	24	3½

Note: All measurements are in inches.





Shown: Copper 625N244COC

Baker Street

Many consumers desire the storage and functionality of a bath cabinet but want the look of a fashion frame mirror, or a simple frame and lighting. No matter the need, we have lots of ideas for you. To complement the colors, styles and textures in your home, we offer a wide selection of framed cabinets. Our rich hardwoods, contemporary metals, and ornate frames unite the architectural features and accessories in your bath or powder room.







Shown: Baker Street 830C



Baker Street





We've captured the Victorian era in our Baker Street series with distinctive and practical solutions to bathroom storage. Choose from a classic white painted hardwood, warm honey-finished solid oak, solid cherry or solid maple frames. Optional light fixtures feature frosted glass shades and bright brass fittings.



Shown: 70273

Model	Frame	Door	Mirror					Top Light Kit					
Number	Type	Type	Shape	W	h	d	W	ĥ	d	Model #	W	h	d
Baker Str	eet Recessed	Mount											
830C	Cherry	Single	Arch	171/16	33%	51/4	14	24	3½				
820	White	Single	Rectangle	18	271/4	51/4	14	18	3½	70323	18	8	9
828	White	Single	Rectangle	18	271/4	51/4	14	24	3½	70323	18	8	9
824BC	Maple	Single	Rectangle	18	27¼	51/4	14	24	3½				
870	Honey Oak	Single	Rectangle	18	271/4	51/4	14	18	3½				
878BC	Honey Oak	Single	Rectangle	18	271/4	51/4	14	24	3½				

Baker Str	eet Surface N	/lount								
822	White	Single	Rectangle	18	271/4	5				
872BC	Honey Oak	Single	Rectangle	18	27¼	5	70273	18	8	13½

Soho



Framed in solid maple or cherry hardwoods, the Soho's transitional design works as well in a city loft as it does in a country cottage. Solid wood frames, rich wood tones, beveled mirrors and adjustable glass shelving address the needs of consumers and designers.

Mission



The Mission, in its solid cherry wood frame and rich finish, features a beveled mirror and adjustable glass shelves. It's truly affordable fashion furniture for the bath or powder room.



Shown: Soho 850C in Cherry

Model	Frame	Door	Mirror	0v	erall Si	ze	Wa	II Oper	ning
Number	Type	Type	Shape	W	h	d	W	ĥ	d
Soho Rece	ssed Moun	t							
850C	Cherry	Single	Rectangle	17%	271/16	51/4	14	24	3½
850M	Maple	Single	Rectangle	17¾6	271/16	51/4	14	24	3½
Mission Re	cessed Mo	unt							
9000C	Cherry	Single	Designer	17¾6	331/16	51/8	14	24	3½

Monaco



The Monaco, with a gold-tone frame, is a work of art in any bath or powder room. Its sophisticated finish highlights the accents in faucets and other bathroom accessories. One of our oversized cabinets, it is designed with a larger viewing area and more storage room.

Oversized 24" wide

Harmony



The Harmony, one of our oversized cabinets, is designed for greater storage room where single door design is preferred. Its transitional chrometone anodized aluminum frame resists humidity and cleans easily. And its larger size brings an equally generous viewing area.

Oversized 24" wide



The fabricated metal cabinet and durable anodized aluminum frame make the Harmony a logical choice in high use bathrooms with greater storage needs.

Model	Frame	Door	Mirror		erall S			I Open	ing
Number	Type	Type	Shape	W	h	d	W	п	a
Monaco R	ecessed Mou	nt, oversi	zed						
535224	Gold-Tone	Single	Rectangle	24	30	5%	21½	27½	3½
Harmony	Recessed Mo	unt, overs	sized						
533124	Chrome-Tone	Single	Rectangle	24	30	5%	21½	27½	3½

Dunhill







Shown: Dunhill 1370M



Tired of square frames? Our Dunhill oval series is perfect over pedestal lavatories and could be used side-by-side over wider vanities. Whether you select the Dunhill framed in solid honey-finished oak, solid maple or in painted white wood, you'll find its simple elegance a natural fit in any bath or powder room.

Model	Frame	Door	Mirror	0v	erall S	ize	Wal	I Open	ing		
Number	Finish	Type	Shape	W	h	d	W	h	d		
Dunhill Recessed Mount											
1370	Honey Oak	Single	Oval	21	31	5½	14	18	3½		
1370M	Maple	Single	Oval	21	31	5½	14	18	3½		
1370WH	White Finish	Single	Oval	21	31	5½	14	18	3½		

Prairie



Classic design comes alive in the painted white wood of the Prairie. It's striking when displayed alone or in pairs.

Grant



Looking for a classic solid oak frame for almost any bath? The Grant, with its honey-oak finish is ideal.

Model	Frame	Door	Mirror	0 v	erall S	ize	Wal	Ope	ning	Тор	Light K	(it	
Numbe	r Type	Type	Shape	W	h	d	W	h	ď	Model #	W	h	d
Prairie	Recessed Mo	unt											
8120	White	Single	Rectangle	17%	27%	51/4	14	18	3½	70928	17%	8	8
8128	White	Single	Rectangle	17%	27%	51/4	14	24	3½	70928	17%	8	8
Prairie S	Surface Mou	nt											
8122	White	Single	Rectangle	17%	27¾	53/8							
Grant R	ecessed Mou	ınt											
8770	Honey Oak	Single	Rectangle	161/4	241/4	53/8	14	18	3½				
8773*	Honey Oak	Single	Rectangle	16¾	22	45/8	14	18	2½				
8778	Honey Oak	Single	Rectangle	16¾	26¾	5¾	14	24	3½				
Grant S	urface Moun	ıt											
8772	Honey Oak	Single	Rectangle	16¾	241/4	5½							
Canterb	ury Recesse	d Mount	t										
8570	Honey Oak	Single	Arch	18	271/8	51//8	14	18	3½				
Canterb	ury Surface	Mount											
8572	Honey Oak	Single	Arch	18	27%	51/4							
Chapel	Hill Recessed	d Mount	:										
8278	Honey Oak	Single	Rectangle	171/4	271/4	4½	14	24	3½				

Canterbury



Chapel Hill



Note: All measurements are in inches.

* Molded body.

Cabinet depth does NOT include light bulbs or the socket, or the glass lamp shades on the Prairie.

Oakdale



The Oakdale is a remarkably efficient cabinet. With integral lighting, installation is an easy, one-step process. Framed in solid oak with a warm honey oak finish, the Oakdale is comfortable in traditional and contemporary settings.

0akhill



Classically shaped edges and a solid oak, honeyfinished frame make the Oakhill a traditional favorite. Attached top lights facilitate easier recessed or surface-mount installation, and the reflective lighting panel directs light into the room.

Model	Frame	Door	Mirror Overall Siz			ize				
Number	Type	Type	Shape	W	h	d	W	h	d	
Oakdale R	ecessed or S	urface Mo	unt with Bu	uilt-In To	op Lig	jht				
2072	Honey Oak	Single	Rectangle	1713/16	29	41/4	16%	271/%	3½	
Nakhill Po	cessed or Su	irface Moi	ınt with Rui	lt-In To	n Liel	ht				
							0.05/	0.71/	21/	
177924	Honey Oak	Tri-view	Rectangle	2313/16	29	41/4	22%	27%	3½	
177930 "	Honey Oak	Tri-View	Rectangle	2913/16	29	41/4	28%	271/8	3½	
177936	Honey Oak	Tri-View	Rectangle	3513/16	29	41/4	34%	271/8	3½	
177948	Honey Oak	Tri-View	Rectangle	4713/16	29	41/4	46%	271/8	31/2	


^{*}Cabinet depth does NOT include light bulbs or the socket.

Vienna



Our economical steel-body tri-view cabinet, the Vienna, features a contemporary design framed in polished chrome-plated steel. The matching optional top light has a polished stainless steel faceplate.

Tri-view bath cabinet mirrors open as shown below. Door configuration cannot be changed.



Grand Maple / Grand Oak



Our popular tri-view bath cabinet is now available in contemporary natural-finished solid maple and warm honey-finished solid oak. Both the Grand Maple and Grand Oak can be recessed or surface mounted.

Model Number	Frame Type	Door Type	Mirror Shape	Ove w	rall S h	ize d	Wa w	all Oper h	ing d	Model #	Top W	Ligh h	t Kit d
Vienna Surfa	ace Mount												
155124 "	Chrome*	Tri-View	Rectangle	24	26	5½				SB22529	24	4	5½
155130 "	Chrome*	Tri-View	Rectangle	30	26	5½				SB23129	30	4	5½

Grand Maple	Grand Oak	Recessed	or Surface	Mount	
277936	Honey Oak	Tri-View	Rectangle	35¹¾6	2

277936	Honey Oak	Tri-View	Rectangle	3513/16	29	41/4	34%	271/8	3½	
277948	Honey Oak	Tri-View	Rectangle	4713/16	29	41/4	46%	271/8	3½	
277936M	Maple	Tri-View	Rectangle	3513/16	29	41/4	34%	271/%	3½	

Note: All measurements are in inches.



Shown: Grand Oak 277936

^{*}Chrome-plated steel trim.


Cabinet depth does NOT include light bulbs or the socket.

Security Cabinet

Whether you have a small space, a tight corner, or the need for storage where there's none to be found, our selection of specialty cabinets is a problem-solving showcase.









Staying organized in today's fast-paced lifestyle can be a challenge. NuTone makes it easier with low-profile cabinets that provide an extra sense of security. Our new theft-deterring locked cabinets provide a more secure location for important articles, documents, extra keys, and medications. Camouflage the door with paint or wallpaper for enhanced concealment. Installation is simple and out of the way, whether in a closet, laundry room, your home office, workshop or wherever a little peace of mind is needed. Trust NuTone for style and security.

Model		O veral	I Size	Wal	I Ope	ning
Number	Description	W	h	W	h	d
Security Cabin	net Recessed Mount					
RSC2000N	Deluxe Large cabinet	15¾	26	14	24	3½
RSC3000N	Deluxe Small cabinet	15¾	20	14	18	3½
RSC1000N	Standard Cabinet	15¾	26	14	24	31/2

NOTICE: These products are not wall safes and are not intended to provide protection against fire or theft.

Hideaway




The steel door of the Hideaway can be painted or wallpapered to visually blend with any wall finish. This hidden storage solution can be installed for left- or right-hand door opening, and secures with a magnetic latch.

Lockbox Cabinet



Behind the chrome framed mirror is a keyed box that's perfect for items you wish to keep close at hand. When you need to keep medications or other personal items away from little hands, the Lockbox Cabinet is a perfect solution. All-steel construction—finished in corrosion-resistant paint—and a durable piano hinge makes this cabinet ideal for everyday use.




Note: All measurements are in inches.

* Molded body.



Shown: Lockbox 13314WH

Illusion



To create the appearance of a continuous wall mirror, our recessed Illusion cabinets feature unique Euro-style hinges that allow the door to close only 1/4" off the wall surface. It's the consummate solution to design simplicity.

Low Profile



Looking for a solution to sidewall storage that won't get in the way? The Low Profile is a perfect solution. With the mirrored door closed, the Low Profile sits just 3/4" off the wall surface.



The Illusion 629SS (shown below) with a fabricated stainless steel body offers a clean, sophisticated, modern look.

Model	Frame	Frame Door Mirror Overall Size			ze	Wall Opening			
Number	Type	Type	Shape	W	h	d	W	ĥ	d
Illusion Re	ecessed Mou	nt							
629	Frameless	Single	Rectangle	15	36	33/4	14	341/4	3½
629SS	Frameless	Single	Rectangle	15	36	3¾	14	341/4	3½
639BC	Frameless	Single	Rectangle	13	36	3¾	12	341/4	3½
664	Frameless	Single	Rectangle	13	36	3¾	12	341/4	3½
Low Profile Recessed Mount									
663BC	Frameless	Single	Rectangle	15	36	31/8	12½	341/4	3½


Note: All measurements are in inches.

† The Low Profile 663BC does not fit flush with wall mirrors.

Corner Cabinet



Tight rooms can benefit from a well-placed bath cabinet. The Corner Cabinet lets you take full advantage of corner installations without fear of binding the door when opened. Steel body and shelf construction, combined with durable hinges can handle just about anything.




Top-down view of left hand Corner Cabinet as shown in photo above.

Avanti Corner Cabinet



To increase the perception of light and space in a small alcove, use two Avanti Corner Cabinets with a wall mirror (purchased separately) mounted in between. You'll have three way viewing, and a generous storage space in a compact area.



Top-down view of left hand Avanti 631 Corner Cabinet as shown in photo above.

Model	Frame	Door	Mirror	Ove	erall Si	ze	
Number	Туре	Type	Shape	W	h	d	
Corner Cabine	et Surface Mount						
860P30CH	Stainless Trim	Single	Corner Trim	16	30	8	
860P30WH	Stainless Trim	Single	Corner Trim	16	30	8	
860P36CH	Stainless Trim	Single	Corner Trim	16	36	8	
867P30CH	Stainless Trim	Single	Corner Trim	16	30	8	
867P30WH	Stainless Trim	Single	Corner Trim	16	30	8	
867P36WH	Stainless Trim	Single	Corner Trim	16	36	8	

Avanti Corner Cabinet Surface Mount									
631	Stainless Trim	Single	Corner Trim	13	36	71/4			

Note: All measurements are in inches. Stainless = Stainless steel.

Flush Mount Cabinet




The Flush Mount does exactly that—mounts flush to the wall surface to provide an ultra clean presentation. With the door surface just 1/2" off the wall surface, you'll hardly know it's there. Concealed European hinges swing the door open with a gentle push on the spring loaded touchlatch to reveal three adjustable shelves.

Modular Shelf



The Modular Shelf puts an end to the problem of storing taller items and wasted space. This unique design maximizes capacity with six modular half-shelves that can be positioned in a variety of configurations. Shelves can be adjusted without tools to accommodate a broad variety of container shapes and sizes.

Pan Door



Here's a design that's worth a second look. The Pan door's design covers the normal gap between the cabinet body and the door with a unique flange. It's the perfect complement to the clean polished edge of the polished mirror. Reversible for left- or right-hand installation, the Pan door also features three adjustable shelves and a magnetic closure.

Model	Frame	Door Mirror		Overall Size			Wall Opening		
Number	Type	Type	Shape	W	h	d	W	h	d
Flush Mount Ca	abinet Reces	sed Mour	ıt						
869P24WH	Frameless	Single	Rectangle	15	26	41/2	14	24	4
870P24WH	Frameless	Single	Rectangle	15	26	41/2	14	24	4
870P34WH	Frameless	Single	Rectangle	15	36	41/2	14	34	4
869P24WHG	Frameless	Single	Rectangle	15	26	41/2	14	24	4
869P34WHG	Frameless	Single	Rectangle	15	36	41/2	14	34	4
870P24WHG	Frameless	Single	Rectangle	15	26	41/2	14	24	4
870P34WHG	Frameless	Single	Rectangle	15	36	41/2	14	34	4
Modular Shelf	Recessed Mo	unt							
468M0D	Stainless	Single	Rectangle	16	26	41/2	14	24	3½
Pan Door Reces	ssed Mount								
935P24WH	Frameless	Single	Rectangle	16	26	5	14	24	3½
935P34WH	Frameless	Single	Rectangle	16	36	5	14	34	3½

Note: All measurements are in inches.

Stainless = Stainless steel.

Perfect Square



When your installation does not permit the door to swing wide open, due to lighting fixtures or an adjacent wall, this cabinet solves the problem with its 90° stop hinge. Mount it for left- or right-hand opening.

Pillar



The Pillar is an ideal solution for a narrow wall in a small bath or powder room. With a wall opening of less than 11", it goes where few other recessed cabinets could ever be installed. In humid environments, its plastic body is a perfect solution.

Topsider



For the room where a recessed cabinet is not possible, the Topsider steps in to assist. It's a functional solution when obstructions behind the wall make a recessed installation impractical.

Model	Frame	Door	Mirror		rall S		Wall	Oper	ning
Number	Type	Type	Shape	W	h	d	W	h	d
Perfect Square	Recessed Mou	ınt							
807P24WH	Frameless	Single	Rectangle	16	26	41/2	14	24	4
807P24WHD	Frameless	Single	Rectangle	16	26	41/2	14	24	4
823P24WH	Frameless	Single	Rectangle	16	26	41/2	14	24	4
823P24WHD	Frameless	Single	Rectangle	16	26	41/2	14	24	4
923P24WH	Frameless	Single	Rectangle	16	26	4½	14	24	4
Pillar Recessed	Mount								
735M34WH	Frameless	Single	Rectangle	12	36	41/2	10½	34	31/2
735M34WHG	Frameless	Single	Rectangle	12	36	41/2	10½	34	31/2
740M34CH	Frameless	Single	Rectangle	12	36	41/2	10½	34	31/2
768M34WH	Frameless	Single	Rectangle	12	36	41/2	10½	34	31/2
76836WHG	Frameless	Single	Rectangle	12	36	41/2	10½	34	41/2
Topsider Surfac	e Mount								
235P22WH	Frameless	Single	Rectangle	16	22	5			
26018CH	Frameless	Single	Rectangle	14	18	5			
268P26WH	Frameless	Single	Rectangle	16	26	5			
235P26WH	Frameless	Single	Rectangle	16	26	5			
26026CH	Frameless	Single	Rectangle	14	26	5			
268P22WH	Frameless	Single	Rectangle	16	22	5			
268P26WH	Frameless	Single	Rectangle	16	26	5			
268P26WHG	Frameless	Single	Rectangle	16	26	5			

Stainless Steel Body



This easy-to-clean, corrosion-resistant singledoor cabinet features high luster, stainless steel construction and a bright satin finish. Combined with a 1/2" beveled-edge door mirror, the Stainless Steel Body provides a high-tech look at a modest price.

Solid Stainless Steel



Bel Aire Auxiliary



The Bel Aire Auxiliary provides excellent storage. Stainless steel trim on door tops and bottoms plus polished vertical mirror edges complete the classic presentation.

Model	Frame	Door	Mirror	O v	erall S	ize	Wall Opening			
Number	Туре	Type	Shape	W	h	d	W	h	d	
Stainless S	teel Body Rece	ssed Mo	unt							
1447	Frameless	Single	Rectangle	16	20	41/2	14	18	3½	
1448	Frameless	Single	Rectangle	16	26	41/2	14	24	3½	
Bel Aire Au	xiliary Recesse									
625	Stainless Trim	Single	Rectangle	13	36	51/4	1111/4	33½	31/2	
Bel Aire Au	xiliary Surface Stainless Trim	Mount Single	Rectangle	13	36	4¾				
	less Steel Rece									
630P24SS	Frameless	Single	Rectangle	16	26	41/2	14	24	3½	
868P24SS	Frameless	Single	Rectangle	16	26	41/2	14	24	3	

Note: All measurements are in inches.

Stainless Trim = Stainless steel trimmed frame.

Cabinet 455FL



The Cabinet 455FL is a one-piece steel storage solution with integral fluorescent side lights, a grounded outlet and an on-off switch. If you need a timeless design, easy installation, storage and lighting, the 455FL is your answer.

Cabinet 555IL



The surface-mounted Cabinet 555IL has a stainless steel mirror frame and trim, plus a built-in light, a grounded outlet and an on-off switch.

Model	Frame	Door	Mirror	Ove	erall S	ize	W	all Op	ening
Number	Type	Type	Shape	w	h	d	W	h	d
Cabinet 455F	L Recessed	Mount	with Built-In	Side L	ights				
455FL	Stainless	Single	Rectangle	20%	221/4	71/4	14	19	3½

Cabinet 555IL Surface Mount with Built-In Top Light 555IL Stainless Single Rectangle 16 24 8

Government Spec Cabinet Recessed Mount 460P34CH* Stainless Single Rectangle 16 36 $4\frac{1}{2}$ 34 31/2 461P24CH* Stainless Single Rectangle 41/2 18 26 16 24 3½

Note: All measurements are in inches. *Meets government specification WWP541/8B. Stainless = Stainless steel.

Government Spec Cabinet



Commodore Series







Shown: Commodore PEM3024 wall mirror and V30 storage cabinet

Whether you select the wall mirror and cosmetic box combo or individual components, the Commodore Series guarantees durable versatility. With bright polished stainless steel or chrome finishes they are an exceptional complement to chrome bath fixtures and glass tile. Channeled components are easy to install, and mirrors feature polished edges and copper backing. Available with mirrored or styrene doors, Commodore Series is a classic look that's back.

Model Number	Frame Type	Door Type	Mirror Shape	Ove w	rall S h	Size d
Commodore M	irror and C	osmetic B	ox Combo			
VM224M	Stainless	Mirror	Rectangle	241/4	32	41/8
VM224P	Stainless	Styrene	Rectangle	241/4	32	41/8
VM230M	Stainless	Mirror	Rectangle	301/4	32	41/8
VM230P	Stainless	Styrene	Rectangle	301/4	32	41/8
VM236M	Stainless	Mirror	Rectangle	361/4	32	41/8
VM236P	Stainless	Styrene	Rectangle	361/4	32	41/8
J1645P48CH	Chrome	Mirror	Rectangle	48	32	41/4
J1650P48CH	Chrome	Styrene	Rectangle	48	32	41/4
Commodore W	all Mirror (Only				
PEM2424	Stainless		Rectangle	24	24	3/16
PEM3024	Stainless		Rectangle	30	24	3/16
PEM3036	Stainless		Rectangle	30	36	3/16
PEM3624	Stainless		Rectangle	36	24	3/16
PEM4824	Stainless		Rectangle	48	24	3/16
PEM6036	Stainless		Rectangle	60	36	3/16
Commodore Co	smetic Bo	x Only				
V24	Stainless	Mirror	Rectangle	241/4	8¾	41/4
V30	Stainless	Mirror	Rectangle	301/4	8¾	41/4
V36	Stainless	Mirror	Rectangle	361/4	8¾	41/4
V48	Stainless	Mirror	Rectangle	481/4	8¾	41/4
J169024CH	Chrome	Styrene	None	241/4	8	41/4
J169030CH	Chrome	Styrene	None	301/4	8	41/4
J169036CH	Chrome	Styrene	None	361/4	8	41/4
J169048CH	Chrome	Styrene	None	481/4	8	41/4





Stainless = Stainless steel.

Oak Hollywood



The Oak Hollywood features a solid oak frame in a honey finish and a matching wood-tone exterior that surrounds an integral incandescent top light, a grounded outlet, an on-off switch and clear handles on sliding doors.

Flair



Who says economical solutions can't come with quality? The Flair includes quality features like an incandescent built-in top light, stainless steel trim and an on-off switch. It's a self-contained, economical solution to bathroom storage and lighting necessity.

Model	Frame	Door	Mirror	Overall Size			
Number	Туре	Type	Shape	W	h	d	
Oak Hollyv	vood Surface	Mount	with Built-In	Top L	ight		
2471IL	Honey Oak	Slider	Rectangle	24¾	24½	9	
2871IL	Honey Oak	Slider	Rectangle	28¾	24½	9	

Flair Surf	ace Mount w	ith Built-	In Top Light		
323LP	Stainless	Slider	Rectangle	24	19½ 7½
3271 P	Stainless	Slider	Rectangle	28	191/ 71/

Note: All measurements are in inches. Stainless = Stainless steel.

Ensign



Originally designed for Navy barracks, the Ensign is functional utility, pure and simple. It features stainless steel trim and a built-in incandescent top light, sliding doors, a convenient grounded outlet and an integral on-off switch. Easy to install and use, it will help you keep everything ship-shape.

Beauty Glide



Beauty Glide represents functional simplicity. This polished stainless steel slider has two polished mirror doors, a white powder coat finish, and two adjustable shelves. If swinging doors get in the way, we have a beautiful solution.

Model Number	Frame Type	Door Type	Mirror Shape				Wall Openi w h		ing d	
Ensign Su	ırface Mount	with Bui	t-In Top Ligh	ıt						
124LP	Stainless	Slider	Rectangle	24	23½	81/4				
128LP	Stainless	Slider	Rectangle	28	23½	81/4				
Beauty Glide Recessed Mount										
SB330	Stainless	Slider	Rectangle	31%	21%	51/4	301/4	19¾	3½	

Note: All measurements are in inches. Stainless = Stainless steel.

Contempora



With its striking, heavy stainless steel frame, the Contempora slider cabinet adds a bold sense of style to the modern or traditional bathroom. Two doors slide to reveal half of the cabinet, and sturdy metal shelves provide stable storage. Choose from a surface mounted cabinet with fixed shelves, or a recessed cabinet with adjustable shelves. Just imagine how it would complement similarly framed prints and chrome bath fixtures.

Theft-Proof Mirror



For school, public and commercial business restrooms, NuTone's Theft-Proof mirror makes good economic sense. Its keyhole mounting system locks the mirror to the wall, so it can't be accidentally bumped or physically removed—at least not without a lot of effort. Chrome framing protects mirror edges from accidental contact. There is no cabinet with the theft-proof mirror.



Shown: Theft-Proof Mirror mounting feature.

Model	Frame	Door	Mirror Overa		Overall Size		Wal	I Ope	ning
Number	Type	Type	Shape	W	h	d	W	h	d
Contempora	Recessed N	lount							
B703850	Stainless	Sliders	Rectangle	24%	19¾16	4	23¾	18	$3^{1/2}$
Contempora	Surface Mo	unt							
B704850	Stainless	Sliders	Rectangle	24	191/4	4			
Theft-Proof	Mirror Rece	essed Mou	ınt						
178P24CH	Stainless	None	Rectangle	18	24	_			
178P30CH	Stainless	None	Rectangle	18	30	_			

Note: All measurements are in inches.

Stainless = Stainless steel.

Styleline


Sometimes expenses govern your purchase decisions. Our Basic Series is geared to this concern. Feature for feature, and dollar for dollar, you'll find the right balance of quality, style and value right here.





Styleline





Styleline is all about options. It's our classic, single-door cabinet series that comes in a broad range of sizes in both steel and molded cabinet bodies. Some models are available in bulk. Call 800-325-8351 for details.

Model	Frame			Mirror	0 v	erall Si		Wall Opening		
Number	Type	Type	Shape	Thickness	W	h	d	W	h	d
Styleline Reco	essed Moun	ıt								
401ADJ*	Stainless	Single	Rectangle	3/32	16	20	33/4	14	18	2½
407ADJ*	Stainless	Single	Rectangle	3/32	16	22	3¾	14	18	2½
407BC*	Stainless	Single	Rectangle	3/32	16	22	3¾	14	18	2½
420BC	Stainless	Single	Rectangle	1/16	16	22	41/2	14	20	3½
421BC	Stainless	Single	Rectangle	1/8	16	22	41/2	14	20	3½
449BC*	Stainless	Single	Rectangle	3/32	16	22	41/4	14	18	2½
458	Stainless	Single	Rectangle	1/8	16	26	41/2	14	24	3½
468BC	Stainless	Single	Rectangle	1∕16	16	26	41/2	14	24	3½
468BR	Brass	Single	Rectangle	1/16	16	26	41/2	14	24	3½
470FS**	Stainless	Single	Rectangle	3/32	16	26	51/4	14	24	3½
473FS**	Stainless	Single	Rectangle	3/32	16	22	51/4	14	18	3½
478FS**	Stainless	Single	Rectangle	1/8	16	26	51/4	14	24	3½
490	Stainless	Single	Rectangle	1/8	18	24	5	16	21½	3½
495	Stainless	Single	Rectangle	1/8	20	30	5	171/4	261/4	3½
624*	Stainless	Single	Rectangle	3/32	16	26	41/2	13%	23%	21/8
84018CH	Chrome	Single	Rectangle	=	16	26	41/2	14	18	3½
84018CHG	Chrome	Single	Rectangle	=	16	26	41/2	14	18	3½
84024BRG	Brass	Single	Rectangle	=	16	26	41/2	14	24	3½
84024CHG	Chrome	Single	Rectangle	_	16	26	41/2	14	24	3½
84024SS	Stainless	Single	Rectangle	_	16	26	41/2	14	24	3½
840P24CHG	Chrome	Single	Rectangle	=	16	26	41/2	14	24	3½
840P34CH	Chrome	Single	Rectangle	_	16	36	41/2	14	34	3½
840P34CHD	Chrome	Single	Rectangle	_	16	36	41/2	14	34	3½
840P34CHG	Chrome	Single	Rectangle	_	16	36	41/2	14	34	3½
B772193	Stainless	Single	Rectangle	-	16	26	35/8	14	24	3½
M183693	Stainless	Single	Rectangle	3/32	18	36	43/4	16	34	3%
Styleline Surf	ace Mount									
422SM	Stainless	Single	Rectangle	3/32	14	20	5%			
452SM	Stainless	Single	Rectangle	3/32	16	22	51/8			
472FS**	Stainless	Single	Rectangle		16	22	51/8			
614*	Stainless	Single	Rectangle		16¼	221/4	41/4			
M18249301	Stainless	Single	Rectangle		18	24	5			
M18369301	Stainless	Single	Rectangle		18	361/8	43/4			



Note: All measurements in inches. *Molded body.
Stainless = Stainless steel. *Meets Federal Spec #WW-P-541/8B.

Prestique — Solid Oak



Prestique — Frameless Beveled-Edge



Our versatile cabinets feature beautiful finishes in a variety of classic designs, all with ample storage capacities.

Prestique cabinets, with solid wood frames in honey-finished oak, feature a matching finish on the composite wood cabinet body. A matching top light for the oak model has a brass finish on the faceplate. If it suits your style, go frameless. Its beveled-edge mirror provides a contemporary look, with optional top lighting to complete the appearance.

Model	Frame	Door	Mirror	0 v	erall S	ize	Top	Ligh	t Kit	
Number	Type	Type	Shape	w	h	d	Model #	W	h	d
Prestique	Oak Surface	Mount								
907224	Honey Oak	Tri-View	Rectangle	24	26	4¾				
907230	Honey Oak	Tri-View	Rectangle	30	30	4¾	CR93079	30	5%	5½
907236	Honey Oak	Tri-View	Rectangle	36	30	4¾	CR93679	36	5%	5½
Prestique	Frameless S	urtace Mo	unt							
905224	Frameless	Tri-View	Rectangle	24	26	4¾	CR92490	24	4½	5½
905230 "	Frameless	Tri-View	Rectangle	30	30	4¾	CR93090	30	4½	5½
905236	Frameless	Tri-View	Rectangle	36	30	4¾	CR93690	36	4½	5½
905248	Frameless	Tri-View	Rectangle	48	30	4¾	CR94890	48	4½	5½

 $[\]begin{tabular}{ll} \blacksquare$ Cabinet depth does NOT include light bulbs or the socket.

Wood Frame With Built-In Top Light Wood Frame Cabinets



The integrated frame and lighting system of Wood Frame cabinets offer an upscale look at an economical price. Tri-view door models feature wood frames with an oak or white finish and a polished chrome lighting faceplate.

Shown: Wood Frame 947230 with built-in top light



If you prefer the component look, Wood Frame surface-mount, tri-view cabinets will meet your need. Side panels match the frame finish for a coordinated look.

Model	Frame	Door	Mirror	0 v	erall Si	ze	Wal	I Open	ing	
Number	Finish	Type	Shape	W	h	d	W	ĥ	d	Top Light Kit
Wood Fran	ne Recessed	or Surface	Mount wit	h Built	-In To	p Light				
942224	White	Tri-View	Rectangle	23%	281/8	41/4	22%	271/4	3½	Built-In
942230	White	Tri-View	Rectangle	29%	281//	41/4	28¾	27¼	3½	Built-In
942236	White	Tri-View	Rectangle	35%	28%	41/4	34%	27¼	3½	Built-In
947224	Honey Oak	Tri-View	Rectangle	23%	281//	41/4	22%	27¼	3½	Built-In
947230 "	Honey Oak	Tri-View	Rectangle	29%	281//	41/4	28¾	27¼	3½	Built-In
947236	Honey Oak	Tri-View	Rectangle	35%	28%	41/4	34%	271/4	3½	Built-In

Wood Fra	Wood Frame Cabinets Surface Mount											
962224	White	Tri-View	Rectangle	24	26	4¾						
962230	White	Tri-View	Rectangle	30	26	4¾						
967224	Honey Oak	Tri-View	Rectangle	24	26	4¾						
967230	Honey Oak	Tri-View	Rectangle	30	26	4¾						

^{*}Cabinet depth does NOT include light bulbs or the socket.

Wood Frame With Built-In Top Light Wood Framed



The integrated frame and lighting system of Wood Frame cabinets offer an upscale look at an economical price. These single-door models feature wood frames with an oak or white finish and a polished chrome lighting faceplate.



Wood Frame cabinets are also available without lighting in white and honey oak finishes. Side panels match the frame finish for a coordinated look.

Model	Frame	Door	Mirror	0ve	erall Si	ze	Wal	I Open	ing	
Number	Finish	Type	Shape	W	h	d	w	ĥ	d	Top Light Kit
Wood Fran	me with Built	t-In Top L	ight Recesse	ed or Si	urface	Mount	:			
9422BC	White	Single	Rectangle	1511/16	23½	41/4	14¾	22%	3½	Built-In
9472 "	Honey Oak	Single	Rectangle	1511/16	23½	41/4	14¾	22%	3½	Built-In

Wood Fra	med Surface	Mount				
902	Honey Oak	Single	Rectangle	16	20	4¾
902WH	White	Single	Rectangle	16	20	4¾
982WH	White	Single	Rectangle	16	26	43/4

^{*}Cabinet depth does NOT include light bulbs or the socket.

Louver Door





Our versatile Louver Door cabinets provide additional storage yet are cleverly concealed. The unfinished pine louver door is ready to be painted or stained to match your bath or powder room. Or, choose a white molded polystyrene door (model 615 only) that does not require a finish.



Shown: Louver Door 606

Model	Frame	Door	Door	Ov	erall Si	ze	Wall	Open	ing
Number	Туре	Type	Shape	w	h	d	W	h	d
Louver Do	or Recessed	Mount							
602	Unfinished	Single	Arched	16	24	51/4	14	18	3½
605ADJ*	Unfinished	Single	Arched	16	24	41/2	14	18	2½
606	Unfinished	Single	Rectangle	16	22	51/4	14	18	3½
607ADJ*	Unfinished	Single	Rectangle	16	22	41/2	14	18	2½
609	Unfinished	Single	Rectangle	16	26	41/2	14	24	3½
615*	Polystyrene	Single	Rectangle	161/4	24½	45/8	14	18	2½

Note: All measurements are in inches. * Molder body.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov W	erall S	ize d	Mount Type ²	Wa	II Oper	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
1035P24WH	18	Cove	Polished Edge	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
1035P24WHG	18	Cove	Polished Edge	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	_
1035P34WH	18	Cove	Polished Edge	S	16	36	41/2	R	14	34	3½	Р	RV	S	3, S, Adjus.	_	_
1035P34WHG	18	Cove	Polished Edge	S	16	36	41/2	R	14	34	31/2	Р	RV	S	3, G, Adjus.	-	=
1068P24WH	18	Cove	Beveled Edge	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
1068P24WHG	18	Cove	Beveled Edge	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, G, Adjus.	=	-
1068P34WH	18	Cove	Beveled Edge	S	16	36	41/2	R	14	34	31/2	Р	RV	S	3, S, Adjus.	-	_
1068P34WHG	18	Cove	Beveled Edge	S	16	36	41/2	R	14	34	31/2	Р	RV	S	3, G, Adjus.	-	-
124LP [®]	42	Ensign	Stainless Steel Trim	SB	24	23½	81/4	SM	-	-	_	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
128LP ⁸	42	Ensign	Stainless Steel Trim	SB	28	23½	81/4	SM	_	-	-	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
13314WH	33	Lockbox	fits in 14" wide folded body	S	131/4	51//8	31/4	SM	-	_	_	Р	-	S	-	-	-
1350°	14	Cameo Oval Bevel	Frameless Bevel	S	21	31	41/2	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	-
1358	14	Cameo Oval Bevel	Frameless Bevel	S	24	36	41/2	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
1370°	28	Dunhill	Solid Oak, Honey	S	21	31	5½	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	-
1370M°	28	Dunhill	Solid Maple	S	21	31	5½	R	14	18	3½	Р	RV	S	2, G, Adjus.	-	-
1370WH ⁸	28	Dunhill	White Painted	S	21	31	5½	R	14	18	3½	Р	RV	S	2, G, Adjus.	-	-
1402	19	Lafayette	Frameless	S	18¾	32¾	4¾	SM	-	_	_	Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
1430	20	Focus	Frameless	S	16	22	4¾	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	-
1433	20	Focus	Frameless	S	16¾	20¾6	-	R	14	18	2½	Р	RV	Р	2, P, Fixed	-	-
1438	20	Focus	Frameless	S	16	26	4½	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
1447	38	Stainless Steel	Frameless	S	16	20	4½	R	14	18	3½	Р	RV	SS	3, G, Adjus.	-	-
1448	38	Stainless Steel	Frameless	S	16	26	41/2	R	14	24	3½	Р	RV	SS	3, G, Adjus.	-	-
1450BC	17	Mirror-on-Mirror	Frameless	S	16	26	5	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*, 7	3190**
1451	21	Horizon	Frameless	S	16	26	4¾	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*	-
1452	17	Mirror-On-Mirror	Frameless	S	16	26	5	R	14	18	3½	Р	RV	S	2, P, Adjus.	73290*,7	3190**
1453	21	Horizon	Frameless	S	16¾	20¾	3¾	R	14	18	2½	Р	RV	Р	2, P, Fixed	73290*,7	3190**
1453ADJ	21	Horizon	Frameless	S	16¾	20¾6	3¾	R	14	18	2½	Р	RV	Р	2, P, Adjus.	73290*	_
1454	16	Mirage	Frameless	S	18	27	4½	R	14	18	3½	Р	RV	S	2, P, Adjus.	73190**	=
1456	16	Mirage	Frameless	S	17¾	32	4½	R	14	24	3½	Р	RV	S	3, S, Adjus.	73190**	_
1459	21	Horizon	Frameless	S	16	26	4¾	R	14	24	3½	Р	RV	S	3, P, Adjus.	73290*, 7	3190**
145999-922	21	Horizon	Frameless	S	16	26	4¾	R	14	24	3½	Р	RV	S	3, G Adjus.	73190**	
1459M0D	21	Horizon	Frameless	S	16	26	4½	R	14	24	3½	Р	RV	S	6, P, Adjus.	73190**	
1462	19	Lafayette	Frameless	S	181/	28%	4¾	SM	_			Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
155124	31	Vienna	Chrome Finish Trim	Т	24	26	5½	SM	_	_	_	L	-	S	2, S, Adjus.	SB22529	_
155130	31	Vienna	Chrome Finish Trim	T	30	26	5½	SM	-	_		L	_	S	2, S, Adjus.	SB23129	_
177924°	30	0akhill	Solid Oak, Honey	Т	2313/16	29	41/4	R/SM	22%	27½	3½°	PN	_	S	2, S, Adjus.	Built-In	3-60W G25/G40
177930°	30	0akhill	Solid Oak, Honey	Т	2913/16	29	41/4	R/SM	28%	27½	3½°	PN	_	S	2, S, Adjus.	Built-In	4-60W G25/G40
177936°	30	0akhill	Solid Oak, Honey	Т	35 ¹³ / ₆	29	41/4	R/SM	34%	27½	3½°	PN	_	S	2, S, Adjus.	Built-In	5-60W G25/G40
177948°	30	0akhill	Solid Oak, Honey	Т	4713/16	29	41/4	R/SM	46%	27½	3½°	PN	_	S	2, S, Adjus.	Built-In	6-60W G25/G40
178P24CH	43	Theft-proof Mirror	Stainless	WM	18	24	-	SM	-	_	_	-	_	_	-	-	-
178P30CH	43	Theft-proof Mirror	Stainless	WM	18	30	-	SM	-	_	_	_	_	_	-	-	-
2072 ⁸	30	0akdale	Solid Oak, Honey	S	1713/16	29	41/4	R/SM	16%	271/%	3½°	PN	R	S	2, S, Adjus.	Built-In	3-60W G25/G40
235P22WH	37	Topsider	Polished Edge	S	16	22	5	SM	-	_	_	Р	RV	S	2, S	-	-
235P26WH	37	Topsider	Polished Edge	S	16	26	5	SM	-	_	_	Р	RV	S	3, S	-	-
2471IL [®]	41	Oak Hollywood	Solid Oak, Honey	SB	24¾	24½	9	SM	_	-	_	_	_	S	1, S, Fixed	Built-In	4-60W Std. MB

1. Style

B = Bi-View

L = Light

S = Single

SB = Slider

T = Tri-View WM = WallMirror 2. Mount Type

M = Mirror

R = RecessedSM = Surface

Mount R/SM = RecessedMount

3. Hinge Type

B = Butt

C = Concealed

L = Leaf

P = PianoPN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left

R = Right

RV = Reversible

5. Cabinet Body

W = Wood

P = Polystyrene S = Steel SS = Stainless

7. Shelf Material

AL = Aluminum

G = Glass

P = Polystyrene

6. Cabinet bottom always

provides an additional storage level.

S = Steel W = Wood 8. Door(s) shipped not attached to cabinet

9. Optional wall opening

 * Top light kit, see photo page 17.

** Side light kit, see photo page 17.

† Top light kit, see page 21.

NOTES: Unless so stated, bulbs not included. All measurements are in inches.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	erall S h	ize d	Mount Type ²	Wa w	II Oper	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
255024°	21	Horizon	Frameless	Т	24	24	5	R	21¾	20%	3½	С	-	S	2, S, Adjus.	HO42490 [†]	=
255030°	21	Horizon	Frameless	Т	30	28¼	5	R	27¾	24¾	3½	С	-	S	2, S, Adjus.	HO43090 [†]	-
255036°	21	Horizon	Frameless	Т	36	28¼	5	R	33¾	24¾	3½	С	-	S	2, S, Adjus.	HO43690 [†]	-
255048 ⁸	21	Horizon	Frameless	Т	48	281/4	5	R	45¾	24¾	3½	С	-	S	2, S, Adjus.	HO44890 [†]	-
255224°	21	Horizon	Frameless	Т	24	24	5¼	SM	-	_	-	С	-	S	2, S, Fixed	H032490 [†]	-
255230°	21	Horizon	Frameless	Т	30	281/4	51/4	SM	-	_	_	С	-	S	2, S, Fixed	H033090 [†]	-
255236°	21	Horizon	Frameless	Т	36	28¼	51/4	SM	-	_	_	С	-	S	2, S, Fixed	H033690 [†]	-
255248°	21	Horizon	Frameless	Т	48	281/4	51/4	SM	-	-	_	С	-	S	2, S, Fixed	H034890 [†]	_
258	17	Sonata	Frameless	S	16	32	4½	R	14	24	3½	Р	R	S	3, P, Adjus.	72052	=
26018CH	37	Topsider	Select Mirror	S	14	18	5	SM	-	-	_	Р	RV	S	3, S	-	_
260P26CH	37	Topsider	Select Mirror	S	14	26	5	SM	-	_	-	Р	RV	S	3, S	-	-
268P22WH	37	Topsider	Beveled Edge	S	16	22	5	SM	_	-	-	Р	RV	S	2, S	-	_
268P26WH	37	Topsider	Beveled Edge	S	16	26	5	SM	-	_	_	Р	RV	S	3, S	-	-
268P26WHG	37	Topsider	Beveled Edge	S	16	26	5	SM	-	_	-	Р	RV	S	3, G	-	-
277936°	31	Grand Oak	Solid Oak, Honey	Т	3513/16	29	41/4	R/SM	34%	271/%	3½°	PN	-	S	2, S, Adjus.	-	-
277936M°	31	Grand Maple	Solid Maple	Т	3513/16	29	41/4	R/SM	34%	27½	3½°	PN	-	S	2, S, Adjus.	-	-
277948°	31	Grand Oak	Solid Oak, Honey	Т	4713/16	29	41/4	R/SM	46%	271/%	3½°	PN	-	S	2, S, Adjus.	-	-
2871IL ⁸	41	Oak Hollywood	Solid Oak, Honey	SB	28¾	24½	9	SM	-	_	-	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
295224	20	Focus	Frameless	Т	24	30	5¼	SM	-	_	_	С	-	S	2, S, Fixed	Built-In	4-60W G25/G40
295230	20	Focus	Frameless	Т	30	34	51/4	SM	-	_	-	С	-	S	2, S, Fixed	Built-In	4-60W G25/G40
323LP ⁸	41	Flair	Stainless Steel Trim	SB	24	19½	7½	SM	-	_	-	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
327LP ⁸	41	Flair	Stainless Steel Trim	SB	28	19½	7½	SM	-	_	_	-	-	S	1, S, Fixed	Built-In	4-60W Std. MB
401ADJ [®]	44	Styleline	Stainless Steel	S	16	20	3¾	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
407ADJ [®]	44	Styleline	Stainless Steel	S	16	22	3¾	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
407BC	44	Styleline	Stainless Steel	S	16	22	3¾	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
420BC	44	Styleline	Stainless Steel	S	16	22	4½	R	14	20	3½	Р	RV	S	3, S, Adjus.	-	-
421BC	44	Styleline	Stainless Steel	S	16	22	4½	R	14	20	3½	Р	RV	S	3, S, Adjus.	-	=
422SM	44	Styleline	Stainless Steel	S	14	20	5%	SM	-	_	-	Р	RV	S	2, P, Fixed	-	-
449BC	44	Styleline	Stainless Steel	S	16	22	41/4	R	14	18	2½	Р	RV	Р	2, P, Fixed	-	-
452SM	44	Styleline	Stainless Steel	S	16	22	51/8	SM	-	_	-	Р	RV	S	2, P, Fixed	-	-
455FL	39	Cabinet 455FL	Stainless Steel	S	20%	221/4	71/4	R	14	19	3½	Р	R	S	2, P, Adjus.	Built-In	Fluor. (incl.)
455230°	20	Quantum	Frameless	Т	30	36½	5¼	SM	-	_	-	С	-	S	2, S, Fixed	Built-In	4-60W G25/G40
455236 ⁸	20	Quantum	Frameless	Т	36	36½	51/4	SM	_	_	_	С	-	S	2, S, Fixed	Built-In	5-60W G25/G40
455248°	20	Quantum	Frameless	Т	48	36½	5¼	SM	-	_	_	С	-	S	2, S, Fixed	Built-In	6-60W G25/G40
458	44	Styleline	Stainless Steel	S	16	26	41/2	R	14	24	3⅓	Р	RV	S	3, S, Adjus.	-	-
460P34CH	39	Gov. Spec.	Stainless Steel	S	16	36	4½	R	14	34	3½	Р	RV	S	3, G, 5/32"	-	-
461P24CH	39	Gov. Spec.	Stainless Steel	S	18	26	4½	R	16	24	3½	Р	RV	S	3, G, 5/32"	-	-
468BC	44	Styleline	Stainless Steel	S	16	26	4½	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
468BR	44	Styleline	Brass	S	16	26	4½	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
468M0D	36	Modular Shelf	Stainless Steel	S	16	26	4½	R	14	24	3½	Р	RV	S	6**, P, Adjus.	-	=
470FS*	44	Styleline	Stainless Steel	S	16	26	5¼	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
472FS*	44	Styleline	Stainless Steel	S	16	22	51//8	SM	-	-	_	Р	RV	S	3, G, Adjus.	-	=
473FS*	44	Styleline	Stainless Steel	S	16	22	5¼	R	14	18	3½	Р	RV	S	3, G, Adjus.	-	=
478FS*	44	Styleline	Stainless Steel	S	16	26	51/4	R	14	24	3½	Р	RV	S	3, A, Adjus.	-	=
490	44	Styleline	Stainless Steel	S	18	24		R	16	21½	3½	Р	RV	S	3, P, Adjus.	_	_

1. Style $B = \overline{Bi-View}$

L = LightS = SingleSB = SliderT = Tri-View

WM = Wall Mirror

2. Mount Type M = Mirror R = RecessedSM = Surface

Mount R/SM = Recessedor Surface Mount

3. Hinge Type

B = Butt C = Concealed

L = Leaf

P = Piano PN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = LeftR = RightRV = Reversible

5. Cabinet Body

P = PolystyreneS = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum

G = Glass P = Polystyrene

S = Steel W = Wood 8. Door(s) shipped not attached to cabinet

* Meets Federal Spec. #WW-P-541/8B

** Modular 1/2 shelves

† Surface Mount Side Mirror Kits required

NOTES: Unless so stated, bulbs not included. All measurements are in inches.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	erall S h	ize d	Mount Type ²	Wa w	II Open h	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
495	44	Styleline	Stainless Steel	S	20	30	5	R	17¼	26¾	3½	Р	RV	S	3, P, Adjus.	-	-
52WH184PV°	11	Metro Oval	Frameless, Bevel	S	211/4	31¼	4½	R	141/4	18	3½	Р	RV	S	2, G, Adjus.	-	-
52WH244DP°	6	Metro Deluxe	Frameless, Bevel	S	15	25	5	R/SM [†]	141/4	24	4	SC	RV	S	3, G, Adjus.	-	-
52WH244DPF°	6	Metro Deluxe	Frameless, Polished	S	15	25	5	R/SM [†]	141/4	24	4	SC	RV	S	3, G, Adjus.	-	-
52WH244P°	8	Metro Classic	Frameless, Bevel	S	15	25	5	R/SM [†]	141/4	24	4	SC	RV	S	3, G, Adjus.	-	-
52WH244PA°	11	Metro Arch	Frameless, Bevel	S	15	311/4	5	R/SM [†]	141/4	24	4	Р	R	S	3, G, Adjus.	-	-
52WH244PF°	8	Metro Classic	Frameless, Polished	S	15	25	5	R/SM [†]	141/4	24	4	SC	RV	S	3, G, Adjus.	=	П
52WH244PT°	11	Metro Octagon	Frameless, Bevel	S	15	31¼	5	R/SM [†]	141/4	24	4	Р	RV	S	3, G, Adjus.	-	=
52WH246DP ⁸	6	Metro Deluxe	Frameless, Bevel	S	15	25	7	R	141/4	24	6	SC	RV	S	3, G, Adjus.	-	-
52WH246DPF	6	Metro Deluxe	Frameless, Polished	S	15	25	7	R	141/4	24	6	SC	RV	S	3, G, Adjus.	-	-
52WH254DP°	12	Metro Oversize Deluxe	Frameless, Bevel	S	20	25	5	R/SM [†]	19¾	24	4	SC	RV	S	3, G, Adjus.	-	-
52WH254DPF ⁸	12	Metro Oversize Deluxe	Frameless, Polished	S	20	25	5	R/SM [†]	191/4	24	4	SC	RV	S	3, G, Adjus.	-	-
52WH304DP [®]	12	Metro Oversize Deluxe	Frameless, Bevel	S	24	30	5	R/SM [†]	231/4	29	4	SC	RV	S	4, G, Adjus.	-	-
52WH304DPF [®]	12	Metro Oversize Deluxe	Frameless, Polished	S	24	30	5	R/SM [†]	231/4	29	4	SC	RV	S	4, G, Adjus.	-	-
52WH304P°	12	Metro Oversize Classic	Frameless, Bevel	S	24	30	5	R/SM [†]	23¾	29	4	SC	RV	S	4, G, Adjus.	-	-
52WH304PF ⁸	12	Metro Oversize Classic	Frameless, Polished	S	24	30	5	R/SM [†]	231/4	29	4	SC	RV	S	4, G, Adjus.	-	-
52WH344DP ⁸	6	Metro Deluxe	Frameless, Bevel	S	15	35	5	R/SM [†]	141/4	34	4	SC	RV	S	4, G, Adjus.	-	-
52WH344DPF [®]	6	Metro Deluxe	Frameless, Polished	S	15	35	5	R/SM [†]	141/4	34	4	SC	RV	S	4, G, Adjus.	-	-
52WH344P°	8	Metro Classic	Frameless, Bevel	S	15	35	5	R/SM [†]	141/4	34	4	SC	RV	S	4, G, Adjus.	-	_
52WH344PF [®]	8	Metro Classic	Frameless, Polished	S	15	35	5	R/SM [†]	141/4	34	4	SC	RV	S	4, G, Adjus.	-	=
52WH346DP ⁸	6	Metro Deluxe	Frameless, Bevel	S	15	35	7	R	141/4	34	6	SC	RV	S	5, G, Adjus.	-	-
52WH346DPF ⁸	6	Metro Deluxe	Frameless, Polished	S	15	35	7	R	141/4	34	6	SC	RV	S	5, G, Adjus.	-	=
530924	15	Simplicity	Frameless	S	24	30	4%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	-
533124	27	Harmony	Chrome-Tone	S	24	30	5%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	=
535224	27	Monaco	Gold-Tone	S	24	30	5%	R	21½	27½	3½	Р	RV	S	2, G, Adjus.	-	-
5528	14	Torino Arch	Frameless	S	16½	341/4	4%	R	14	24	3½	Р	R	S	3, P, Adjus.	73591	-
555IL	39	Cabinet 555IL	Stainless Steel	S	16	24	8	SM	_			Р	R	S	2, P, Fixed	Built-In	2-60W
565	19	Styleline II	Chrome Plated Steel	S	18	28	4¾	SM	_			Р	R	S	3, S, Adjus.	Built-In	3-60W G25/G40
602	49	Louver Door	Unfinished Pine	S	16	24	51/4	R	14	18	3½	В	R	S	2, P, Adjus.	-	_
605ADJ	49	Louver Door	Unfinished Pine	S	16	24	41/2	R	14	18	2½	В	R	Р	2, P, Adjus.	-	-
606	49	Louver Door	Unfinished Pine	S	16	22	51/4	R	14	18	3½	В	RV	S	2, P, Adjus.	-	_
607ADJ	49	Louver Door	Unfinished Pine	S	16	22	41/2	R	14	18	2½	В	RV	Р	2, P, Adjus.	-	-
609	49	Louver Door	Unfinished Pine	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
610BC	21	Horizon	Frameless	S	16¾	221/4	3¾	R	14	18	2½	В	RV	Р	2, P, Fixed	732	90*, 73190**
614	44	Styleline	Stainless Steel	S	16¾	221/4	41/4	SM	_			В	RV	Р	2, P, Fixed	-	-
615	49	Louver Door	White Polystyrene	S	16¾	24½	45%	R	14	18	2½	В	R	Р	2, P, Fixed	-	-
622	33	Hideaway	Steel Door	S	16¾	21¾	41/2	R	14	18	3¾	Р	RV	S	2, P, Adjus.	-	-
624	44	Styleline	Stainless Steel	S	16	26	4½	R	13%	23%	2¾	В	RV	Р	3, P ,Fixed	-	-
625	38	Bel Aire Auxiliary	Stainless Steel Trim	S	13	36	51/4	R	11¼	33½	3½	Р	RV	S	3, P, Adjus.	-	-
625N244SNC	22	Hampton	Satin Nickel	S	15¾	25½	14	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	_
625N244BZC	22	Hampton	Oil-rubbed Bronze	S	15¾	25½	14	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
625N244C0C	22	Hampton	Copper	S	15¾	25½	14	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	=
625N244WHC	22	Hampton	White	S	15¾	25½	14	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
626	38	Bel Aire Auxiliary	Stainless Steel Trim	S	13	36	4¾	SM	-			Р	RV	S	3, P, Fixed	-	=
629	34	Illusion	Frameless	S	15	36	3¾	R	14	341/4	3½	С	RV	S	3, S, Adjus.	-	-

1. Style

B = Bi-View

L = Light

S = SingleSB = Slider

T = Tri-ViewWM = Wall

Mirror

SM = Surface Mount R/SM = Recessedor Surface Mount

M = Mirror

 $\mathsf{R} = \mathsf{Recessed}$

2. Mount Type 3. Hinge Type

B = Butt

C = ConcealedL = Leaf

P = PianoPN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left

R = RightRV = Reversible

5. Cabinet Body P = Polystyrene

S = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum

G = Glass

P = Polystyrene

S = Steel W = Wood 8. Door(s) shipped not attached to cabinet

 $\ensuremath{^{\star}}$ Top light kit, see photo page 17.

 $\ensuremath{^{**}}$ Side light kit, see photo page 17.

NOTES: Unless so stated, bulbs not included. All measurements are in inches.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	erall S h	ize d	Mount Type ²	Wal	ll Oper h	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
629SS	34	Illusion	Frameless	S	15	36	3¾	R	14	341/4	3½	С	RV	SS	4, G, Adjus.	-	-
630P24SS	38	Stainless Steel	Frameless		16	26	41/2	R	14	24	3⅓	Р	RV	S	3, S, Adjus.	-	-
631	35	Avanti Corner	Stainless Steel Trim	S	13	36	7¼	SM	-	_	_	Р	RV	S	3, G, Fixed	-	-
639BC	34	Illusion	Frameless	S	13	36	3¾	R	12	341/4	3½	С	RV	S	3, S, Adjus.	-	-
663BC	34	Low Profile	Frameless	S	15	36	31/8	R	12½	34¼	3½	Р	RV	S	3, G, Adjus.	-	_
664	34	Illusion	Frameless	S	13	36	3¾	R	12	341/4	3⅓	С	RV	S	3, G, Adjus.	-	-
70273	24	Baker Street	Solid Oak, Honey	L	18	8	13½	For SM Cab	ı	_	-	-	-	-	=	=	2-60W Std. MB
70323	24	Baker Street	Hardwood, White	L	18	8	9	For R Cab	-	_	-	-	-	-	-	-	2-60W Std. MB
70928	29	Prairie	White Painted Wood	L	17%	8	8	For R Cab	-			-	_	-	-	-	2-60W Std. MB
72052	17	Sonata	Frameless	L**	5	17½	61%	For R Cab	-	_	_	_	_	_	-	-	2-60W Std. MB
73190	16	Mirage	Frameless	L**	5	12	6½	For R Cab	-			-	-	-	-	-	2-60W Slim Line
73290	21	Horizon	Frameless	L	16	4½	2	For R Cab	-	_		_	_	_	-	-	2-60W G25/G40
73591	14	Torino	Frameless	L**	6½	13¾	5%	For R Cab	-	_	_	_	_	_	-	-	2-60W Std. MB
735M34WH	37	Pillar	Frameless, Polished	S	12	36	41/2	R	10½	34	3½	Р	RV	Р	3, P, Adjus.	-	_
735M34WHG	37	Pillar	Frameless, Polished	S	12	36	41/2	R	10½	34	3½	Р	RV	Р	3, G, Adjus.	-	_
740M34CH	37	Pillar	Chrome	S	12	36	41/2	R	10½	34	3½	Р	RV	Р	3, P, Adjus.	-	_
76GK ¹⁰	5-9	, 13 Metro	-	_	for b	oth 24	and :	34" models	-	_	_	_	_	_	-	Gangabl	e Attachment Kit
760024	5–9	Metro	Frameless	_	for m	odels 2	4" in h	neight	-			-	_	-	-	Surface Mo	unt Mirror Kit
760025	13	Metro Oversize	Frameless	_	for m	odels 2	5" in h	neight	-	_		_	_	-	-	Surface Mo	unt Mirror Kit
760030	13	Metro Oversize	Frameless	_	for m	odels 3	0" in h	neight	-			-	-	-	-	Surface Mo	unt Mirror Kit
760034	5–9	Metro	Frameless	_	for m	odels 3	4" in h	neight	_	_		_	_	_	-	Surface Mo	unt Mirror Kit
76836WHG	37	Pillar	Frameless, Bevel	S	12	36	4½	R	10½	34	4½	Р	RV	S	4, G, Adjus.	-	_
768M34WH	37	Pillar	Frameless, Bevel	S	12	36	4½	R	10½	34	3½	Р	RV	Р	3, P, Adjus.	-	_
807P24WH	37	Perfect Square	Frameless, Polished	S	16	26	41/2	R	14	24	4	90	RV	S	3, S, Adjus.	-	-
807P24WHD	37	Perfect Square	Frameless, Polished	S	16	26	4½	R	14	24	4	90	RV	S	3, P, Adjus.	-	_
8120	29	Prairie	White Painted Wood	S	17%	27%	51/4	R	14	18	3½	Р	RV	S	2, P, Adjus.	70928	-
8122	29	Prairie	White Painted Wood	S	17%	27%	5¾	SM	-	_	-	Р	RV	S	3, P, Fixed	-	-
8128	29	Prairie	White Painted Wood	S	17%	27%	51/4	R	14	24	3½	Р	RV	S	3, P, Adjus.	70928	-
820	24	Baker Street	Hardwood, White	S	18	27¼	51/4	R	14	18	3½	Р	RV	S	2, G, Adjus.	70323	-
822	24	Baker Street	Hardwood, White	S	18	271/4	5	SM	-			Р	RV	S	3, G, Adjus.	70223	-
823P24WH	37	Perfect Square	Beveled Edge	S	16	26	41/2	R	14	24	4	90	RV	S	3, S, Adjus.	-	-
823P24WHD	37	Perfect Square	Beveled Edge	S	16	26	41/2	R	14	24	4	90	RV	S	3, P, Adjus.	-	-
824BC	24	Baker Street	Solid Maple	S	18	27¼	51/4	R	14	24	3½	Р	RV	S	3, G, Adjus.	70324	-
8278	29	Chapel Hill	Solid Oak, Honey	S	17¼	271/4	4½	R	14	24	3½	Р	RV	S	3, S, Adjus.	=	=
828	24	Baker Street	Hardwood, White	S	18	27¼	51/4	R	14	24	3½	Р	RV	S	3, G, Adjus.	70323	-
830C	24	Baker Street Arch	Solid Cherry	S	17%	33%	51/4	R	14	24	3½	Р	R	S	3, G, Adjus.	-	-
835P24WHD	20	Focus	Frameless	S	16	26	4½	R	14	24	3½	Р	RV	S	3, P, Adjus.	-	-
835P24WHG	20	Focus	Frameless	S	16	26	4½	R	14	34	3½	Р	RV	S	3, G, Adjus.	-	-
835P34WH	21	Horizon	Plate Mirror	S	16	36	41/2	R	14	34	3½	Р	RV	Р	3, P, Adjus.	-	-
835P34WHD	20	Focus	Frameless	S	16	36	4½	R	14	34	3½	Р	RV	S	3, P, Adjus.	-	_
835P34WHG	20	Focus	Frameless	S	16	36	4½	R	14	34	3½	Р	RV	S	3, G, Adjus.	-	_
84018CH	44	Styleline	Chrome	S	16	26	4½	R	14	18	3½	Р	RV	S	2, S, Adjus.	-	-
84018CHG	44	Styleline	Chrome	S	16	26	4½	R	14	18	3½	Р	RV	S	2, G, Adjus.	-	-
84024BRG	44	Styleline	Brass	S	16	26	41/2	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	_
84024SS	44	Styleline	Stainless	S	16	26	41/2	R	14	24	3½	Р	RV	SS	3, SS, Adjus.	-	_

Mirror

1. Style B = Bi-View L = LightS = SingleSB = SliderT = Tri-ViewWM = Wall

2. Mount Type

M = MirrorR = RecessedSM = Surface Mount R/SM = Recessedor Surface Mount 3. Hinge Type

B = ButtC = ConcealedL = LeafP = Piano

PN = PinSC = Semi-concealed, self-closing

4. Single Door Hinge

L = LeftR = RightRV = Reversible

5. Cabinet Body

P = PolystyreneS = SteelSS = Stainless W = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

 $\overline{AL} = \overline{Aluminum}$

S = Steel W = Wood

G = Glass $\mathsf{P} = \mathsf{Polystyrene}$ ${f 10.}$ To determine the quantity of Gang Kits needed, subtract 1 from the number of cabinets to be "ganged."

Example 1: Recess three cabinets in a row (3 cabinets - 1) = 2 Gangable Attachment Kits. Example 2: Surface mount four cabinets in a row (4 cabinets - 1) = 3 Gangable Attachment Kits, plus four Surface Mount Side Mirror Kits.

NOTES: Unless so stated, bulbs not included. All measurements are in inches. ** Packed in pairs

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	rerall S h	ize d	Mount Type ²	Wa w	II Ope	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
84024CHG	44	Styleline	Chrome	S	16	26	4½	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
840P24CHG	44	Styleline	Chrome	S	16	26	4½	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
840P34CH	44	Styleline	Chrome	S	16	36	41/2	R	14	34	3½	Р	RV	S	3, S, Adjus.	_	_
840P34CHD	44	Styleline	Chrome	S	16	36	41/2	R	14	34	31/2	Р	RV	S	6*, P, Adjus.	_	_
840P34CHG	44	Styleline	Chrome	S	16	36	4½	R	14	34	3½	Р	RV	S	3, G	-	-
84124CHLB	33	Lockbox Cabinet	Chrome	S	16	26	41/2	R	14	24	3½	Р	RV	S	2, S, Adjus.	_	_
850C	26	Soho	Solid Cherry	S	17%	271/16	51/4	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
850M	26	Soho	Solid Maple	S	17¾6	271/16	51/4	R	14	24	3½	Р	RV	S	3, G, Adjus.	-	-
8570	29	Canterbury	Solid Oak, Honey	S	18	27½	51/8	R	14	18	3½	Р	R	S	2, P, Adjus.	76378	-
8572	29	Canterbury	Solid Oak, Honey	S	18	27½	51/4	SM	_	_	_	Р	R	S	3, P, Fixed	76478	_
860P30CH	35	Corner	Chrome	S	16	30	8	SM	_	_	_	Р	RV	S	3, S, Fixed	_	_
860P30WH	35	Corner	Chrome	S	16	30	8	SM	_	_	_	Р	RV	S	3, S, Fixed	_	-
860P36CH	35	Corner	Chrome	S	16	36	8	SM	-	_	_	Р	RV	S	3, S, Fixed	_	-
867P30CH	35	Corner	Frameless, Bevel	S	16	30	8	SM	-	_	_	Р	RV	S	3, S, Fixed	_	_
867P30WH	35	Corner	Frameless, Bevel	S	16	30	8	SM	-	_	_	Р	RV	S	3, S, Fixed	_	=
867P36WH	35	Corner	Frameless, Bevel	S	16	36	8	SM	-	_	_	Р	RV	S	3, S, Fixed	_	_
868M22XWHZ	21	Horizon	Frameless, Bevel	S	16	26	4½	R	14	24	3	Р	RV	Р	3, P, Adjus.	_	_
868M24WH	21	Horizon	Frameless, Bevel	S	16	26	4½	R	14	24	3	Р	RV	Р	3, P, Adjus.	_	_
868P18SS	21	Horizon	Frameless, Bevel	S	16	20	4½	R	14	18	31/2	Р	RV	SS	2, S, Adjus.	_	-
868P18WH	21	Horizon	Frameless, Bevel	S	16	20	4½	R	14	18	31/2	Р	RV	SS	3, S, Adjus.	_	_
868P24CH	21	Horizon	Frameless, Bevel	S	16	26	41/2	R	14	24	3	Р	RV	SS	3, S, Adjus.	_	_
868P24SS	38	Solid Stainless Steel	Frameless, Bevel	S	16	26	41/2	R	14	24	3	Р	RV	SS	3, SS, Adjus.	_	_
868P34CH	21	Horizon	Frameless, Bevel	S	16	36	41/2	R	14	34	3	Р	RV	S	3, S, Adjus.	_	_
868P34WH	21	Horizon	Frameless, Bevel	S	16	36	41/2	R	14	34	3	Р	RV	S	3, S, Adjus.	_	_
868P34WHLB	21	Horizon	Frameless, Bevel	S	16	36	4½	R	14	34	3	Р	RV	S	3, S, Adjus.	-	-
868P34WHD	21	Horizon	Frameless, Bevel	S	16	36	41/2	R	14	34	3	Р	RV	S	6*, P, Adjus.	-	-
868P34WHG	21	Horizon	Frameless, Bevel	S	16	36	4½	R	14	34	3	Р	RV	S	3, G, Adjus.	-	-
869P24WH	36	Flush Mount	Frameless, Polished	S	15	26	41/2	R	14	24	4	Р	RV	S	3, S, Adjus.	-	-
869P24WHG	36	Flush Mount	Frameless, Polished	S	15	26	41/2	R	14	24	4	Р	RV	S	3, G, Adjus.	-	-
869P34WHG	36	Flush Mount	Frameless, Polished	S	15	36	4½	R	14	34	4	Р	RV	S	3, G, Adjus.	-	
870	24	Baker Street	Solid Oak, Honey	S	18	271/4	51/4	R	14	18	3½	Р	RV	S	2, G, Adjus.	70373	-
870P24WH	36	Flush Mount	Frameless, Bevel	S	15	26	4½	R	14	24	4	90	RV	S	3, S, Adjus.	-	-
870P24WHG	36	Flush Mount	Frameless, Bevel	S	15	26	41/2	R	14	24	4	90	RV	S	3, G, Adjus.	-	-
870P34WH	36	Flush Mount	Frameless, Bevel	S	15	36	4½	R	14	34	4	90	RV	S	3, S, Adjus.	-	-
870P34WHG	36	Flush Mount	Frameless, Bevel	S	15	36	41/2	R	14	34	4	90	RV	S	3, G, Adjus.	-	-
872BC	24	Baker Street	Solid Oak, Honey	S	18	27¼	5	SM	-	=	-	Р	RV	S	3, G, Adjus.	70273	
8770	29	Grant	Solid Oak, Honey	S	16¾		53/8	R	14	18	3½	Р	RV	S	2, P, Adjus.	-	-
8772	29	Grant	Solid Oak, Honey	S	16¾		5½	SM	-	=	-	Р	RV	S	2, P, Fixed	-	
8773	29	Grant	Solid Oak, Honey	S	16¾		45/8	R	14	18	2½	В	RV	Р	2, P, Fixed	-	
8778	29	Grant	Solid Oak, Honey	S	16¾		5¾	R	14	24	3½	Р	RV	S	3, P, Adjus.	_	_
878BC	24	Baker Street	Solid Oak, Honey	S	18	27¼	51/4	R	14	24	3½	Р	RV	S	3, G, Adjus.	70373	_
9000C	26	Mission	Solid Cherry	S		331/16		R	14	24	3½	Р	R	S	3, G, Adjus.	_	_

1. Style B = Bi-View

L = Light

S = Single SB = SliderT = Tri-ViewWM = Wall Mirror

2. Mount Type

M = Mirror R = RecessedSM = SurfaceMount

R/SM = Recessedor Surface Mount 3. Hinge Type

B = Butt C = ConcealedL = Leaf P = Piano

PN = PinSC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left R = Right RV = Reversible

5. Cabinet Body

P = Polystyrene S = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum G = Glass $\mathsf{P} = \mathsf{Polystyrene}$

S = Steel W = Wood

SS = Stainless Steel

NOTES: Unless so stated, bulbs not included. All measurements are in inches. * Modular half-shelves.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	erall S h	ize d	Mount Type ²	Wa w	ll Oper	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
902	48	Wood Frame	0ak Finish	S	16	20	4¾	SM	-	_	_	В	RV	W	1, W, Fixed	-	-
902WH	48	Wood Frame	White Finish	S	16	20	4¾	SM	-	_	_	В	RV	W	1, W, Fixed	-	-
905224 ⁸	46	Prestique	Frameless	Т	24	26	4¾	SM	-	_	_	С	-	W	2, W, Fixed	CR92490	-
905230°	46	Prestique	Frameless	Т	30	30	4¾	SM	-	_	_	С	-	W	2, W, Fixed	CR93090	-
905236°	46	Prestique	Frameless	Т	36	30	4¾	SM	-	_	_	С	-	W	2, W, Fixed	CR93690	-
905248 ⁸	46	Prestique	Frameless	Т	48	30	4¾	SM	-	_	_	С	-	W	2, W, Fixed	CR94890	_
907224	46	Prestique	Solid Oak, Honey	Т	24	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	-	-
907230	46	Prestique	Solid Oak, Honey	Т	30	30	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93079	_
907236	46	Prestique	Solid Oak, Honey	Т	36	30	4¾	SM	-	_	_	L	-	W	2, W, Fixed	CR93679	-
923P24WH	37	Perfect Square	1" Beveled Edge	S	16	26	41/2	R	14	24	4	Р	RV	S	3, S, Adjus.	-	-
935P24WH	36	Pan Door	Frameless, Polished	S	16	26	5	R	14	24	3½	Р	RV	S	3, S, Adjus.	-	-
935P34WH	36	Pan Door	Frameless, Polished	S	16	36	5	R	14	34	3½	Р	RV	S	3, S, Adjus.	-	-
9422BC°	48	Wood Frame w/ light	White Finish	S	1511/16	23½	41/4	R/SM	14¾	22%	3½°	PN	R	W	1, W, Adjus.	Built-In	2-60W G25/G40
942224°	47	Wood Frame w/ light	White Finish	Т	23%	28½	41/4	R/SM	22%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	3-60W G25/G40
942230°	47	Wood Frame w/ light	White Finish	Т	29%	281//	41/4	R/SM	28%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	4-60W G25/G40
942236°	47	Wood Frame w/ light	White Finish	Т	35%	281/	41/4	R/SM	34%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	5-60W G25/G40
9472°	48	Wood Frame w/ light	0ak Finish	S	1511/16	23½	41/4	R/SM	14¾	22%	3½°	PN	R	W	1, W, Adjus.	Built-In	2-60W G25/G40
947224°	47	Wood Frame w/ light	0ak Finish	Т	23%	28½	41/4	R/SM	22%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	3-60W G25/G40
947230°	47	Wood Frame w/ light	0ak Finish	Т	29%	281/	41/4	R/SM	28%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	4-60W G25/G40
947236°	47	Wood Frame w/ light	0ak Finish	Т	35%	281//	41/4	R/SM	34%	271/4	3½°	PN	-	W	2, W, Adjus.	Built-In	5-60W G25/G40
962224	47	Wood Frame	White Finish	Т	24	26	4¾	SM	_	_	_	L	-	W	2, W, Fixed	-	-
962230	47	Wood Frame	White Finish	Т	30	26	4¾	SM	_	_	_	L	-	W	2, W, Fixed	-	-
967224	47	Wood Frame	0ak Finish	Т	24	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	-	-
967230	47	Wood Frame	0ak Finish	Т	30	26	4¾	SM	-	_	_	L	-	W	2, W, Fixed	-	-
982WH	48	Wood Frame	White Finish	S	16	26	4¾	SM	-	_	_	В	RV	W	2, W, Fixed	-	-
B703850	43	Contempora	Stainless	SB	24%	19¾	4	R	23%	18	3½	_	-	S	2, S, Adjus.	-	-
B704850	43	Contempora	Stainless	SB	24	191/4	4	SM	-	_	_	-	-	S	2, S, Fixed	-	-
B7233	20	Focus	Frameless, Polished	S	16	22	4	R	13½	17½	3	Р	RV	Р	2, P, Adjus.	-	-
B7233B85PC	21	Horizon	Frameless, Bevel	S	16	22	_	R	14	18	3½	Р	RV	Р	2, P, Adjus.	73290	2-60W
B773385	21	Horizon	Bevel Mirror	S	16	26	35/8	R	14	24	3½	Р	RV	Р	3, P, Adjus.	73290	2-60W
B7733	20	Focus	Polished Mirror	S	16	26	35/8	R	14	24	3½	Р	RV	Р	3, P, Adjus.	_	_
B772193	44	Styleline	SS Trim	S	16	26	35/8	R	14	24	3½	Р	RV	Р	3, P, Adjus.	-	-
B88519385	21	Nova	Tri-View Bevel w/Lights	Т	36	311//8	4	SM	-	_	_	С	-	S	2, S, Adjus.	Built-in	4-4W G30
B88529385	21	Nova	Tri-View Bevel w/Lights	Т	48	311/8	4	SM	-	_	_	С	-	S	2, S, Adjus.	Built-in	5-4W G30
B885393	21	Nova	Tri-View Bevel w/Lights	Т	24	33	6	SM	_	_	_	С	-	S	2, S, Adjus.	Built-in	3-60W G25
B88539385	21	Nova	Tri-View Bevel w/Lights	Т	24	311//8	4	SM	_	_	_	С	-	S	2, S, Adjus.	Built-in	3-4W G30
CR92490	46	Prestique	Frameless	L	24	4½	5½	For SM Cab	-	_	_	-	-	_	-	-	3-60W G25/G40
CR93079	46	Prestique	Solid Oak, Honey	L	30	5%	5½	For SM Cab	-	_	_	-	-	-	-	_	4-60W G25/G40
CR93090	46	Prestique	Frameless	L	30	4½	5½	For SM Cab	_	_	_	-	-	-	-	_	4-60W G25/G40
CR93679	46	Prestique	Solid Oak, Honey	L	36	5%	5½	For SM Cab	_	_	_	-	-	_	-	_	5-60W G25/G40
CR93690	46	Prestique	Frameless	L	36	4½	5½	For SM Cab	-	_	_	-	-	-	-	-	4-60W G25/G40
CR94890	46	Prestique	Frameless	L	48	4½	5½	For SM Cab	_	_	_	_	-	_	-	-	5-60W G25/G40

Chart/Notes Key: Footnotes only apply to each page.

1. Style B = Bi-View L = LightS = SingleSB = SliderT = Tri-View WM = Wall Mirror 2. Mount Type M = Mirror R = RecessedSM = Surface Mount

R/SM = Recessedor Surface Mount

3. Hinge Type

B = Butt C = ConcealedL = Leaf P = Piano

PN = Pin

SC = Semi-concealed, self-closing

4. Single Door Hinge

L = Left R = RightRV = Reversible

5. Cabinet Body P = Polystyrene

S = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = AluminumG = Glass

P = PolystyreneS = Steel W = Wood

 $\textbf{8.} \quad \mathsf{Door}(\mathsf{s}) \; \mathsf{shipped} \; \mathsf{not} \; \mathsf{attached} \; \mathsf{to} \; \mathsf{cabinet}$

9. Optional wall opening

NOTES: Unless so stated, bulbs not included. All measurements are in inches.

Model No.	Pg No.	Style Name	Frame	Style ¹	Ov w	erall S h	ize d	Mount Type ²	Wa w	II Opei	ning d	Hinge Type ³	Single, Door Hinge	Cab Body ⁵	Shelves Qty ⁶ , Material ⁷ , Type	Matching Light Fixture	Rec. Bulbs Qty-Type
HO32490	21	Horizon	Frameless	L	24	4½	5%	For SM Cab	-	_	_	-	-	-	-	_	3-60W G25/G40
HO33090	21	Horizon	Frameless	L	30	4½	5%	For SM Cab	-	_	_	-	-	-	-	-	4-60W G25/G40
HO33690	21	Horizon	Frameless	L	36	4½	5%	For SM Cab	-	_	_	-	-	-	-	-	4-60W G25/G40
HO34890	21	Horizon	Frameless	L	48	4½	5%	For SM Cab	-	_	_	-	-	-	=	-	5-60W G25/G40
HO42490	21	Horizon	Frameless	L	24	4½	21/4	For R Cab	-	_	_	-	-	-	=	-	3-60W G25/G40
HO43090	21	Horizon	Frameless	L	30	4½	21/4	For R Cab	-	_	_	-	-	-	=	-	4-60W G25/G40
HO43690	21	Horizon	Frameless	L	36	4½	21/4	For R Cab	-	_	_	-	-	-	-	-	4-60W G25/G40
HO44890	21	Horizon	Frameless	L	48	4½	21/4	For R Cab	_	_	_	-	-	-	-	-	5-60W G25/G40
J1645P48CH	40	Commodore	Mirrored Doors	SB	48	32	41/4	SM	-	-	_	-	-	S	Cosme	tic Box & M	irror, Mirrored Doo
J1650P48CH	40	Commodore	Styrene Doors	SB	48	32	41/4	SM	-	-	_	-	-	S	Cosm	netic Box & I	Mirror, Styrene Doo
J169024CH	40	Commodore	Styrene Doors	SB	241/4	8	41/4	SM	_	_	_	-	-	S	-	Cosmeti	c Box, Styrene Doo
J169030CH	40	Commodore	Styrene Doors	SB	301/4	8	41/4	SM	-	_	_	-	-	S	-	Cosmeti	c Box, Styrene Doo
J169036CH	40	Commodore	Styrene Doors	SB	361/4	8	41/4	SM	_	_	_	-	-	S	-	Cosmeti	c Box, Styrene Doo
J169048CH	40	Commodore	Styrene Doors	SB	481/4	8	41/4	SM	-	_	_	-	-	S	-	Cosmeti	c Box, Styrene Doo
M18249301	44	Styleline	Stainless	S	18	24	5	SM	-	_	_	Р	RV	S	3, G, Adjus.	-	-
M183693	44	Styleline	Stainless	S	18	36	43/4	R	16	34	35/8	Р	RV	S	3, S, Adjus.	-	-
M18369301	44	Styleline	Stainless	S	18	361//8	43/4	SM	-	_	_	Р	RV	S	3, G, Adjus.	-	-
M723385	21	Horizon	Frameless	S	16	22	3½	R	14	18	3	Р	RV	S	3, S, Adjus.	-	-
PEM2424	40	Commodore	Frameless	WM	24	24	3/16	SM	-	-	_	-	-	-	-	-	Wall Mirror Only
PEM3024	40	Commodore	Frameless	WM	30	24	3/16	SM	-	_	_	-	-	-	-	-	Wall Mirror Only
PEM3036	40	Commodore	Frameless	WM	30	36	3∕16	SM	-	_	_	-	-	-	-	-	Wall Mirror Only
PEM3624	40	Commodore	Frameless	WM	36	24	3/16	SM	-	_	_	-	-	-	=	-	Wall Mirror Only
PEM4824	40	Commodore	Frameless	WM	48	24	3/16	SM	-	_	_	-	-	-	=	-	Wall Mirror Only
PEM6036	40	Commodore	Frameless	WM	60	36	3/16	SM	-	_	_	-	-	-	=	-	Wall Mirror Only
RSC1000N	32	Security	Standard Cabinet	S	15¾	26	3½	R	14	24	31/2	Р	RV	S	3, S, Adjus.	-	_
RSC2000N	32	Security	Deluxe Large Cabinet	S	15¾	26	3½	R	14	24	31/2	Р	L	S	2, S, Adjus.	-	_
RSC3000N	32	Security	Deluxe Small Cabinet	S	15¾	20	3½	R	14	18	3½	Р	L	S	1, S, Adjus.	-	_
S3682440VWH	10	Metro Oval	Frameless	_	24	35%	41/2	R	141/4	24	4	Р	RV	S	3, G, Adjus.	-	-
S468244SS	4	Studio IV	Frameless	S	15	25	5	R	141/4	24	4	SC	RV	SS	3, G, Adjus.	-	_
S468244WH	4	Studio IV	Frameless	S	15	25	5	R	141/4	24	4	SC	RV	SS	3, G, Adjus.	-	_
S468344SS	4	Studio IV	Frameless	S	15	25	5	R	141/4	34	4	SC	RV	SS	3, G, Adjus.	-	-
S468344WH	4	Studio IV	Frameless	S	15	25	5	R	141/4	34	4	SC	RV	SS	3, G, Adjus.	-	_
SB22529	31	Vienna	Chrome Trim	L	24	4	5½	For SM Cab	-	_	_	-	-	-	=	-	3-60W G25/G40
SB23129	31	Vienna	Chrome Trim	L	30	4	5½	For SM Cab	-	_	_	-	-	-	=	-	4-60W G25/G40
SB330 ^s	42	Beauty Glide	Stainless Steel Trim	SB	31%	21%	51/4	R	301/4	19¾	3½	-	-	S	2, G, Adjus.	-	_
V24 ^s	40	Commodore	Stainless Steel Trim	SB	241/4	8¾	41/4	SM	_	_	_	-	-	S	-	Cosmetic E	Box, Mirrored Door
V30°	40	Commodore	Stainless Steel Trim	SB	301/4	8¾	41/4	SM	_	_	_	-	-	S	-	Cosmetic E	Box, Mirrored Door
V36	40	Commodore	Stainless Steel Trim	SB	361/4	8¾	41/4	SM	_	_	_	-	-	S	-	Cosmetic E	Box, Mirrored Door
V48	40	Commodore	Stainless Steel Trim	SB	48¾	8¾	41/4	SM	-	_	_	-	-	S	-	Cosmetic E	Box, Mirrored Door
VM224M ^s	40	Commodore	Stainless Steel Trim	SB	241/4	32	41//	SM	-		_	-	-	S	Cosme	tic Box & M	irror, Mirrored Doo
VM224P [®]	40	Commodore	Stainless Steel Trim	SB	241/4	32	41//	SM	-	_	_	-	-	S			Mirror, Styrene Doo
VM230M [®]	40	Commodore	Stainless Steel Trim	SB	30½	32	41//	SM	-		_	-	-	S			irror, Mirrored Doo
VM230P [®]	40	Commodore	Stainless Steel Trim	SB	301/4	32	41//	SM	-	_	_	-	-	S			Mirror, Styrene Doo
VM236M [®]	40	Commodore	Stainless Steel Trim	SB	36¾	32	41//	SM	-	_	_	-	-	S			irror, Mirrored Doo
VM236P [®]	40	Commodore	Stainless Steel Trim	SB	36¾	32	41//	SM	_	_	_	<u> </u>	T_	S			irror, Styrene Door

1. Style

B = Bi-View

L = Light

S = SingleSB = Slider

T = Tri-View

WM = WallMirror 2. Mount Type M = Mirror

 $\mathsf{R} = \mathsf{Recessed}$ SM = Surface

Mount R/SM = Recessed

or Surface Mount

3. Hinge Type

B = Butt

C = Concealed

L = Leaf

P = PianoPN = Pin

SC = Semi-concealed, self-closing hinge

4. Single Door Hinge

L = Left

R = Right RV = Reversible

5. Cabinet Body $\overline{P = Polystyrene}$

S = SteelSS = StainlessW = Wood

6. Cabinet bottom always provides an additional storage level.

7. Shelf Material

AL = Aluminum

G = Glass

P = PolystyreneS = Steel

W = WoodSS = Stainless Steel 8. Door(s) shipped not attached to cabinet

NOTES: Unless so stated, bulbs not included. All measurements are in inches.

This Cross Reference Guide lets you match the most popular, former Triangle models with their current NuTone model numbers.

- **1.** Some former Triangle model numbers may not be an exact match to the current number featured in this chart. If you need the exact model, please contact Customer Support before ordering at 800-325-8351.
- 2. Find the Triangle model number you seek, match it to the NuTone number, and then use the Master Matrix to find the catalog page on which the product appears. Due to the broad product range, not all models and sizes are pictured.
- 3. If the model number you seek is not in the cross reference matrix, please contact NuTone Customer Support at 800-325-8351. The Support team will help you select the model that best suits your needs.
- **4.** Some models are packaged as multiple units. See notations in the chart.
- **5.** Special over-carton packaging is available on select models. Contact Customer Support at 800-325-8351.

0 upport at 000 325	, 0,5,51.
FORMER MODEL	CURRENT MODEL
B-1620-B-SS	401ADJ*
B-6761-25	73190
B-7038-50	B703850
B-7039-50	SB330
B-7048-50	B704850
B-7049-50	SB330
B-7051-50	323LP
B-7066-50	323LP
B-7082-50	128LP
B-7101-50	V24
B-7103-50	V30
B-7104-50	V36
B-7167-93	V24
B-7168-93	V30
B-7169-93	V36
B-7170-93	V48
B-7198-53	VM230P
B-7207-36	1370
B-7207-85	1350
B-7209-36	8773
B-7217-00	735M34WH
B-7220-93	407ADJ
B-7221-93	407BC**
B-7221-93-01	614
B-7221-SB-93	407BC
B-7222-25	1450BC
B-7223-25	1454
B-7227-95	602

FORMER MODEL	CURRENT MODEL
B-7228-95	607ADJ
B-7231-85	610BC
B-7232-25	622
B-7233	B7233
B-7233-85	610BC
B-7233-85-01	B72338501
B-7233-86	1451
B-7233-B-85-PC	B7233B85PC
B-7233-P-85	1453ADJ
B-7234-85	1454
B-7234-85-01	1454
B-7236-85	1454
B-7721-93	B772193
B-7733	B7733
B-7733-85	B773385
B-7733-S	B7733
B-7733-S-85	B773385
B-7734-85	1456
B-7800-93	SB22529
B-8017-93	155130
B-8023-93	155124
B-8024-93	155124
B-8025-93	155130
B-8036-28	277948
B-8090-93	255224
B-8090R-93	255024
B-8094-93	255230
B-8094R-93	255030
B-8095-93	255236
B-8095R-93	255036
B-8096-93	255248
B-8099-93	255248
B-8099R-93	255048
B-8212-00	835P34WH
B-8212-85	868P34WH
B-8212-93	840P34CH
B-8217-00	735M34WH
B-8217-85	768M34WH
B-8217-93	740M34CH
B-8218-00	639BC
B-8220-00	663BC
B-8221-00	629
B-8310-36	2471IL
B-8812-28	2072
B-8812-36	2072
B-8850-93	455230
B-8850-93-85	295230
B-8851-93	455236
	<u> </u>
B-8851-93-85 B-8852-93	B88519385 455248
	<u> </u>
B-8852-93-85	B88529385
B-8853-93	B885393
B-8853-93-85	295224

FORMER MODEL	CURRENT MODEL	
B-8880-25	1402	
B-8890-25	1462	
B-8891-25	1462 867P36WH	
B-8909-25-85		
B-8912-B-92 B-9100-93	860P36CH H032490	
B-9101-93		
B-9101-93	H033090	
B-9102-93	H033690	
	H034890	
B-9104-93 B-9110-93	73290	
B-9111-93	H042490	
B-9112-93	H043090	
B-9113-93	H043690	
B-9575	H044890	
B-9577	PEM2424	
M-1824-93	PEM3624 490	
M-1824-93-01	M18249301	
M-1836-93		
M-1836-93-01	M183693 M18369301	
M-2430-85	530924	
M-7221-93	84018CH	
M-7221-93-01	452SM	
M-7233-85	M723385	
M-7233-85-01	268P22WH	
M-7233-85-3	TBD	
M-7720-93-01	555IL	
M-7721-63	468BR	
M-7721-93	468BC	
M-7721-93-01	26026CH	
M-7721-G-93	84024CHG	
M-7733	1438	
M-7733-85	1459	
MP-7221-93	84018CH	
S-1525-00NM	S468244SS	
S-1525-85	S468244SS	
S-1535-85	S468344SS	
S-1535-85NM	S468244SS	
WLT101-36-L0	947236	
WS101-20-L0	902	
WS101-20-WH	902WH	
WT101-24-L0	967224	
WT101-24-WH	962224	
WT101-30-L0	967230	
WT101-30-WH	962230	
WT101-36-WH	962236	
WT104-24-BG	905224	
WT104-30-BG	905230	
WT104-36-BG	905236	
* Customer will need to buy 2.		

^{*} Customer will need to buy 2.

^{**} Obsolete, but coming back.

This Cross Reference Guide lets you match the most popular, former Jensen models with their current NuTone model numbers.

- 1. Some former Jensen model numbers may not be an exact match to the current number featured in this chart. If you need the exact model, please contact Customer Support before ordering at 800-325-8351.
- 2. Find the Jensen model number you seek, match it to the NuTone number, and then use the Master Matrix to find the catalog page on which the product appears. Due to the broad product range, not all models and sizes are pictured.
- 3. If the model number you seek is not in the cross reference matrix, please contact NuTone Customer Support at 800-325-8351. The Support team will help you select the model that best suits your needs.
- **4.** Some models are packaged as multiple units. See notations in the chart.
- Special over-carton packaging is available on select models. Contact Customer Support at 800-325-8351.

FORMER MODEL	CURRENT MODEL	
1035P24WH	1035P24WH	
1068P24WH	1068P24WH	
1068P24WHG	1068P24WHG	
1068P34WH	1068P34WH	
1414P24CH	323LP	
1414P28CH	327LP	
1551P24CH	155124	
1551P30CH	155130	
230P26SS	230P26SS	
235P22WH	235P22WH	
235P26WH	235P26WH	
26018CHS	26018CH	
26020CHS	422SM	
26022CHS	452SM	
26026CH	26026CH	
26026CHS	26026CH	
260P26CH	260P26CH	
260P26CHS	260P26CH	
268P22WH	268P22WH	
268P26WH	268P26WH	
268P26WHG	268P26WHG	
460P18CH	473FS	
460P24CH	478FS	
460P34CH	460P34CH	
461P24CH	461P24CH	
630P24SS	630P24SS	
735M34WH	735M34WH	
735M34WHG	735M34WHG	
740M34CH	740M34CH	
768M34WH	768M34WH	
769P34WH	663BC	
807P24WH	807P24WH	
807P24WHD	807P24WHD	
823P24WH	823P24WH	
823P24WHD	823P24WHD	
828P240K	8278	
83524WH	1438	

FORMER MODEL	CURRENT MODEL	
83524WHS	1438	
835M18WH	B7233	
835M18WHS	B7233	
835M24WH	835M24WH	
835M24WHS	835M24WH	
835P18WH	1430	
835P24WH	1438	
835P24WHD	835P24WHD	
835P24WHG	835P24WHG	
835P24WHS	1438	
835P24WHSD	835P24WHD	
835P30WH	1438	
835P34WH	835P34WH	
835P34WHD	835P34WHD	
835P34WHG	835P34WHG	
84018CHS	84018CH	
84020CHS	420BC	
84024BR	468BR	
84024BRG	84024BRG	
84024BRS	468BR	
84024CH	468BC	
84024CHD	468M0D	
84024CHG	84024CHG	
84024CHS	468BC	
84024CHSD	468M0D	
84024SS	84024SS	
840M18CH	407ADJ	
840M18CHS	407ADJ	
840M24CH	624	
840M24CHS	624	
840P18CHS	84018CH	
840P22CH	490	
840P24CH	458	
840P24CH\2	458*	
840P24CHG	840P24CHG	
840P24CHS	458*	
840P34CH	840P34CH	

^{*} Customer will need to buy 2.

FORMER MODEL	CURRENT MODEL	FORMER MODEL	CURRENT MODEL
840P34CHG	840P34CHG	870P24WHG	870P24WHG
855P34WH	835P34WH	870P34WH	870P34WH
855P34WHD	835P34WH	891M18WH	615
858P34WH	868P34WH	894P24WH	1456
858P34WHD	868P34WHD	896M18UW	607ADJ
86030WH	860P30WH	896M18UWS	607ADJ
86036CH	860P36CH	905224A	905224
860P30CH	860P30CH	905230A	905230
860P36CH	860P36CH	905236A	905236
867P30CH	867P30CH	905248A	905248
867P30WH	867P30WH	907230A	907230
867P36WH	867P36WH	907236A	907236
868M18WH	1453ADJ	923P24WH	923P24WH
868M18WHS	1453ADJ	935P24WH	935P24WH
868M22WH	610BC	935P34WH	935P34WH
868M22XWHZ	868M22XWHZ	937P24WH	1358
868M24WH	868M24WH	938M18WH	1350
868P18SS	868P18SS	938P24WH	1358
868P18WHS	868P18WH	G1200P2440VSSGU	S3682440VWH
868P24CH	868P24CH	J164524CH	VM224M
868P24CHS	868P24CH	J164530CH	VM230M
868P24SS	868P24SS	J164536CH	VM236M
868P24WH	1459	J1645P48CH	J1645P48CH
868P24WHD	1459MOD	J165024CH	VM224P
868P24WHG	145999-922	J165030CH	VM230P
868P24WHS	1459	J165036CH	VM236P
868P24WHSG	145999-922	J1650P48CH	J1650P48CH
868P34CH	868P34CH	J168536CH	V36
868P34WH	868P34WH	J168548CH	V48
868P34WHD	868P34WHD	J169024CH	J169024CH
868P34WHG	868P34WHG	J169030CH	J169030CH
868P34WHLB	868P34WHLB	J169036CH	J169036CH
869P24WH	869P24WH	J235024	255024
869P24WHG	869P24WHG	J235030	255030
869P34WH	629	J255024	255024
869P34WHG	869P34WHG	J255030	255030
870P24WH	870P24WH	J255036	255036

FORMER MODEL	CURRENT MODEL	
J255224	255224	
J255236	255236	
J255248	255248	
J5518	5528	
J664	664	
J902	902	
J905224	905224	
J905230	905230	
J905236	905236	
J905248	905248	
J962224	962224	
J967224	967224	
J982WH	982WH	
RSC2000	RSC2000N	
S135244WH	52WH244PF	
\$135344WH	52WH344PF	
S168244WH	52WH244P	
S168344WH	52WH344P	
\$33520254WH	52WH254DPF	
S335344WH	52WH344DPF	
S3682440VWH	S3682440VWH	
S368244WH	52WH244DP	
S368344WH	52WH344DP	
S435244SS	S468244SS	
S435344SS	S468344SS	
S468244SS	S468244SS	
S468244WH	S468244WH	
S468344SS	S468344SS	
S468344WH	S468344WH	
X1031M18WH	610BC	



NuTone° is America's leading brand of residential built-in convenience products including door chimes, central vacuum systems, stereo intercom systems, ceiling fans, home theater speakers, bath cabinets, ironing centers and ventilation fans.

Broan° is America's leading brand of residential ventilation products including range hoods, decorative backsplashes, ventilation fans, heater/fan/light combination units, Indoor Air Quality (IAQ) Fresh Air Systems, built-in heaters, whole-house fans, attic ventilators and trash compactors.

NuTone

www.NuTone.com

Broan-NuTone Storage Solutions – a Division of Broan-NuTone LLC 501 S. Wilhite Street, Cleburne, TX 76031 • 800-325-8351 926 W. State Street, Hartford, WI 53027 • 800-558-1711 9825 Kenwood Road, Cincinnati, OH 45242 • 888-336-3948

